Index for Volume 54 (2005)

Syst. Biol. 54(6):990–1028, 2005
Copyright © Society of Systematic Biologists
ISSN: 1063-5157 print / 1076-836X online
DOI: 10.1080/10635150500514091

12S rRNA, 38, 40–43, 46, 49, 51, 54, 317, 318, 376, 638, 641
12S, 783
16c, 259
16S mtDNA, 710–713, 717
16S rDNA, 347
18S and 5.8S ribosomal, 347
18S rDNA, 169, 184–189, 192–194, 278, 279, 348, 936, 938, 942
18S, 278, 287, 289
28S rRNA, 294, 5, 78, 79, 112, 115, 222, 277, 278, 287, 289, 294, 376, 409, 638–641, 674, 710, 711, 758, 769, 925, 943
A New Technique for Identifying Sequence Heterochrony, Jonathan E. Jeffery, Olaf R. P. Bininda-Emonds, Michael I. Coates, and Michael K. Richardson, 230
A Tale of Two Processes, Peter Lockhart and Mike Steel, 948
A2AB, 482, 720
A6, 28, 47, 135, 221, 234, 236, 242, 248, 250, 282, 284, 298, 354, 359, 385, 420, 482, 487, 581, 582, 636, 709, 814, 905
Abrus
  precatorius–Derris laxiflora, 582
  precatorius–Tephrosia grandiflora, 584
Abylopsis tetragona, 922, 928
Acacia, 510, 589, 593
  farnesiana, 577
  farnesiana–Albizia saman, 584
Acanthaceae, 697, 706, 708
Acanthus, 697
Acari, 279
Accuracy, 115, 147, 166, 167, 169, 170, 183, 184, 188, 192–194, 200, 218, 219, 221, 222, 227, 324,327, 329, 333, 363, 401, 415, 40, 432, 433, 436–439, 455, 464, 465, 475, 476, 487, 493, 532, 607, 608, 620, 621, 692, 693, 697, 698, 701–705, 731–741, 750, 751, 754, 755, 759, 785, 799, 800, 814, 815, 848, 867, 882, 902, 903, 910, 913, 951, 958, 959, 981
acidocaldarius, 409
Acinonyx, 327, 329
  jubatus, 327, 336
Acleistorhinus pteroticus, 533
Acleistorhinus, 533, 541
Acontias, 373, 382, 386
  meleagris, 377
  percivali, 377
Acontinae, 373–377, 382–384, 386
Acontophiops lineatus, 377
Acosmium
  dasycarpum, 594
  dasycarpum–Spartium junceum, 584
  panamense–Bowdichia virgiloides 1, 581
Acris + Pseudacris, 795
Acris, 789, 779, 802
Acrocarpus, 592, 593
  sp.–Gleditsia triacanthos, 584
acromiodeltoid, 892
acromion flexor, 892
Acronicta oblinata, 854
Acronicta, 854, 857
Acrosiphonia duriuscula, 938
Actias selene, 257
actinia, 651, 652, 655
actinia, 652
aculeata/virosa/saligna, 206
aculeata/virosa, 206
aculeata, 206
acuminatus, 301
Adalia, 348 (s)
Adams Tree, 419, 420, 421, 423–425
Adansonia, 21
Adaptation, 143, 157, 265, 272, 341, 344, 520, 543, 562, 620, 648, 715, 879, 880
Adaptive radiation, 340
Adesmia
  lanata–Chaetocalyx scandens, 581
  lanata–Tipuana tipu, 581
Adult characters, 122
Advances in Legume Systematics. Part 10. Higher Level Systematics, Michael J. Sanderson, 510
Aeromonas, 197
Aeropyle Crown evolution
  chorion mRNA expression in moths with and without, 262
  developmental-genetic basis of, 265
  phylogenetic context of, 262
  phylogenetic mapping of, 259, 261
  unique innovation and multiple reductions, 262
Aeropyle Crown, 254
Aeropyrum pernix, 276, 409
Aeschynomene
  americana–Kotschya ochreata, 581
  purpusii, 577, 594
Affine, 401, 406
AFLP data sets, 197
  bacteria, 212
  congruence, 203
  dollo parsimony, 207
  fungi, 210
  MPT support, 203
  oomycetes, 211
  phylogenetic signal, 203
  plants, 212
  weighted parsimony, 207
African and Malagasy scincines, 387
Africana, 22, 29
Agalma, 922, 928
  clausi, 922, 931
  elegans, 919, 921, 922, 923
  okeni, 918, 922
Agalychnis, 779, 803, 789, 803
  spurrelii, 789

Index for Volume 54 (2005)

Syst. Biol. 54(6):990–1028, 2005
Copyright © Society of Systematic Biologists
ISSN: 1063-5157 print / 1076-836X online
DOI: 10.1080/10635150500514091

12S rRNA, 38, 40–43, 46, 49, 51, 54, 317, 318, 376, 638, 641
12S, 783
16c, 259
16S mtDNA, 710–713, 717
16S rDNA, 347
18S and 5.8S ribosomal, 347
18S rDNA, 169, 184–189, 192–194, 278, 279, 348, 936, 938, 942
18S, 278, 287, 289
28S rRNA, 294, 5, 78, 79, 112, 115, 222, 277, 278, 287, 289, 294, 376, 409, 638–641, 674, 710, 711, 758, 769, 925, 943
A New Technique for Identifying Sequence Heterochrony, Jonathan E. Jeffery, Olaf R. P. Bininda-Emonds, Michael I. Coates, and Michael K. Richardson, 230
A Tale of Two Processes, Peter Lockhart and Mike Steel, 948
A2AB, 482, 720
A6, 28, 47, 135, 221, 234, 236, 242, 248, 250, 282, 284, 298, 354, 359, 385, 420, 482, 487, 581, 582, 636, 709, 814, 905
Abrus
  precatorius–Derris laxiflora, 582
  precatorius–Tephrosia grandiflora, 584
Abylopsis tetragona, 922, 928
Acacia, 510, 589, 593
  farnesiana, 577
  farnesiana–Albizia saman, 584
Acanthaceae, 697, 706, 708
Acanthus, 697
Acari, 279
Accuracy, 115, 147, 166, 167, 169, 170, 183, 184, 188, 192–194, 200, 218, 219, 221, 222, 227, 324,327, 329, 333, 363, 401, 415, 40, 432, 433, 436–439, 455, 464, 465, 475, 476, 487, 493, 532, 607, 608, 620, 621, 692, 693, 697, 698, 701–705, 731–741, 750, 751, 754, 755, 759, 785, 799, 800, 814, 815, 848, 867, 882, 902, 903, 910, 913, 951, 958, 959, 981
acidocaldarius, 409
Acinonyx, 327, 329
  jubatus, 327, 336
Acleistorhinus pteroticus, 533
Acleistorhinus, 533, 541
Acontias, 373, 382, 386
  meleagris, 377
  percivali, 377
Acontinae, 373–377, 382–384, 386
Acontophiops lineatus, 377
Acosmium
  dasycarpum, 594
  dasycarpum–Spartium junceum, 584
  panamense–Bowdichia virgiloides 1, 581
Acris + Pseudacris, 795
Acris, 789, 779, 802
Acrocarpus, 592, 593
  sp.–Gleditsia triacanthos, 584
acromiodeltoid, 892
acromion flexor, 892
Acronicta oblinata, 854
Acronicta, 854, 857
Acrosiphonia duriuscula, 938
Actias selene, 257
actinia, 651, 652, 655
actinia, 652
aculeata/virosa/saligna, 206
aculeata/virosa, 206
aculeata, 206
acuminatus, 301
Adalia, 348 (s)
Adams Tree, 419, 420, 421, 423–425
Adansonia, 21
Adaptation, 143, 157, 265, 272, 341, 344, 520, 543, 562, 620, 648, 715, 879, 880
Adaptive radiation, 340
Adesmia
  lanata–Chaetocalyx scandens, 581
  lanata–Tipuana tipu, 581
Adult characters, 122
Advances in Legume Systematics. Part 10. Higher Level Systematics, Michael J. Sanderson, 510
Aeromonas, 197
Aeropyle Crown evolution
  chorion mRNA expression in moths with and without, 262
  developmental-genetic basis of, 265
  phylogenetic context of, 262
  phylogenetic mapping of, 259, 261
  unique innovation and multiple reductions, 262
Aeropyle Crown, 254
Aeropyrum pernix, 276, 409
Aeschynomene
  americana–Kotschya ochreata, 581
  purpusii, 577, 594
Affine, 401, 406
AFLP data sets, 197
  bacteria, 212
  congruence, 203
  dollo parsimony, 207
  fungi, 210
  MPT support, 203
  oomycetes, 211
  phylogenetic signal, 203
  plants, 212
  weighted parsimony, 207
African and Malagasy scincines, 387
Africana, 22, 29
Agalma, 922, 928
  clausi, 922, 931
  elegans, 919, 921, 922, 923
  okeni, 918, 922
Agalychnis, 779, 803, 789, 803
  spurrelii, 789

Agaricales, 662, 665
Agaricus, 662
Age estimation, 575
Aglaocetus, 86
Agrobacterium, 270
  tumefaciens, 276
Ailuropoda melanoleuca, 336
Ailurus, 317, 324, 325, 328, 331, 332
  fulgens, 323, 336
Akaike Information Criterion (AIC), 41, 576
Akanthosuchus langstoni, 533
Albatrellus, 662
Albizia saman, 593
albopunctata, 789
Algae, 744, 748, 749, 752, 753, 936, 938, 940, 942, 943, 946, 947
Algorithm, 59, 67, 69, 115, 134, 177, 184, 189, 194, 218, 221, 235, 241, 244, 249, 252, 302, 303, 309, 320, 322, 348, 363, 364, 366, 367, 370–372, 393, 401–403, 405–408, 413–415, 417, 418, 421, 432, 433, 445, 459, 461, 464, 465, 467, 468, 471, 480, 520, 521, 527–529, 535, 548, 552–554, 559, 567, 639, 697, 711, 746, 810, 811, 825, 842, 868, 900, 902, 915, 960–962, 964, 965, 982
Alignment bias, 401
  sampling, bayesian estimation of, 408
  uncertainty, bayesian estimation of, 410, 413
Allele(s), 36, 44, 49, 304, 347, 441, 444, 687, 690
Alligator mississippiensis, 392, 570
Allopatry, 634
Allophryne, 790, 786, 801
Allopolyploidy, 442, 452
Allozyme, 304, 307, 849, 87, 98
altaica, 205, 206
Alytes obstetricans, 113
Alytes, Barbourula, Bombina, 111
Alytes, 118–120, 122
Amanita, 665
Amaranthus, 212
Amber, 592, 593
Ambiella cruciqera, 351
Amblypygi, 278, 279
Amblysomus hottentotus, 730
Ambrose Monell Cryo-Collection (AMCC), 819
Amburana cearensis–Cercidium floridum, 581
  cearensis, 593
Ambystoma californiense, 760
  gracile (tigrinum), 95
  maculatum, 760, 92
  taylori, Dicamptodon copei, 96
  taylori, Eurycea neotenes, 102
  tigrinum, 92, 760
  opacum (maculatum), 95
americana, 328
americanus, 323
Amino acids versus nucleotides, 72
Amino acids, 72–74, 80, 81, 83, 157, 259, 261, 280, 284, 411, 548, 549, 694, 782, 809, 810, 813, 900, 903, 910, 969, 973
Ammodendron argenteum–Sophora davidii, 581
Amniota, 530
  alternative hypotheses of turtle relationships, 543
  character-state optimization, 537
  combined published data sets, 535
  importance of integumentary characters for amniote phylogeny reconstruction, 544
  inapplicable characters, 532
  integument and osteoderms, 531
  integumentary data additions, 537
  morphological character data, 532
  phylogenetic analysis, 535
  taxa addition, 537
  taxonomic sampling, 531
Amniotes, 115, 169, 394, 530, 531, 537, 541–545
Among-site rate variation, 95, 112, 354, 577, 584, 734, 735, 740
Amorpha fruticosa–Eysenhardtia orthocarpa, 581
Amphibians origin and phylogeny, mitogenetic perspectives on, 391
  Batrachia versus Procera, 395
  interpretation and hypothesis of biogeographic patterns, 399
  lissamphibian origin, 397
  molecular dating, 393
  monophyly versus polyphyly, 397
  phylogenetic analysis, 392
  sequence data preparation, 391
Amphibians, 391, 778, 91
Amphicoela, 121
Amphiglossus, 373, 376, 385, 387
  macrocercus, 377
  melanopleura, 377
  mouroundavae, 377
  ornaticeps, 377
  splendidus, 377
  stumpffi, 377
Amphikrikos, 939
Amphiuma pholeter (tridactylum), 95
Amphiuma, 762, 764, 772
  means, 760, 92
  pholeter, 760
  tridactylum, 760
Amplified Fragment Length Polymorphism (AFLP) markers, 197
An Application of Tissue and DNA Banking for Genomics and Conservation: The Ambrose Monell Cryo-Collection (AMCC), Angelique Corthals and Rob Desalle, 819
An Empirical Assessment of Long-Branch Attraction Artefacts in Deep Eukaryotic Phylogenomics, Henner Brinkmann, Mark van der Giezen, Yan Zhou, Gaëtan Poncelin de Raucourt, and Hervé Philippe, 743
An Empirical Examination of the Utility of Codon-Substitution Models in Phylogeny Reconstruction, Fengrong Ren, Hiroshi Tanaka, and Ziheng Yang, 808
Anacystis nidularans, 409
Analysis and Visualization of Tree Space, David M. Hillis, Tracy A. Heath, and Katherine St. John, 471
Analytical branch test, 218
Anapsids, 530, 542, 545
Anarthrophyllum desideratum–Spartium junceum, 581
Anatomical characters, 22, 29, 532, 545
Anatomy, 230, 530, 595
Ancestor
  reconstruction, 299
  area reconstruction (Exacum), 26
  character state reconstruction, 693
  character states reconstruction, 693
  ecology reconstruction, 299
  AsIs coding, 303
  continuous parameters, 309
  dating of nodes, 302
  discrete parameters, 306
  DNA sequencing, 301
  ecological diversification in thamnochortus, 313
  generalized frequency coding, 304
  macroecological parameters, 303
  methodological problems and solutions, 313
  phylogenetic analysis, 301
  polymorphism coding, 304, 306
  presence coding, 304

range coding, 305
thamnochortus phylogeny, 300, 305
timing of ecological diversification, 312
mitochondrial genome organizations reconstruction, 280, 284
Ancestral polymorphism, 35, 77
anconeus, 880, 892
andamanica, 593
Andira galeottiana–Tipuana tipu, 581
Andira inermis–Machaerium lunatum, 584
Andrias davidianus, 392, 760
Androctonus, 279
Aneides lugubris (flavipunctatus), 95
Anelytropsis, 386
Angelonia pubescens, 708
Angiosperm genera simulation study, 183
angiosperm ToL, recovering aspects of, 194
atpB, rbcL, and 18S rDNA, 185, 188
branch lengths, 186, 193
codon positions, 190
data matrices and phylogenetic trees, 185
models' parameters, 186
simulating, 186
tree of 13,000 angiosperm genera, 190
tree sizes, 192
Angiosperms, 183, 184, 697
Anguidae, 376, 542
anguinus, 759, 769, 760
Anhinga anhinga, 621
Anhingidae, 620
Animal phylogeny, MtDNA and, 651
Animals, 21, 31, 77, 142, 174, 175, 398, 514, 531, 565, 572, 651–657, 672, 677, 752, 754, 88, 778, 846, 848, 857, 916, 918, 931, 953, 958, 961
Ankistrodesmus stipitatus, 939
Ankylosaurus magniventris, 602
Ankyra judayi, 939
Annelida, 278–280, 285, 653, 655
Annelids, 277, 281, 288, 635, 651, 653
Anolis, 634, 646
Anopheles quadrimaculatus, 279
Anopheles, 279, 282, 289, 297, 298, 348
Anotheca, 779, 789, 802
godmani, 257, 258
hartii, 256
helferi, 257
jana, 256, 257
kelimutuensis, 257
lampei, 257
larissa, 257
mylitta, 257
paukstadtorum, 257
pernyi, 257, 279
polyphemus, 255, 257, 258, 262, 265
raffrayi, 257
rosemariae, 257
roylii, 257
yamamai, 257
youngi, 257
Antheraea, 254–262, 265, 266, 256, 279, 281, 282, 297, 298
Antheraeopsis (subgenus), 258
Antherina suraka, 257
Antherina, 256
suraka, 257, 262
Anthodon serrarius, 533
Anthodon, 533, 542
Anthophyte, 170
Ants, 340, 342
Anura, 111
Anuran phylogenetic relationships, 121
Anurans, 111, 112, 120–123, 396, 778, 93, 96
Ané, Cécile and Sanderson, Michael J., Missing the Forest for the Trees: Phylogenetic Compression and Its Implications for Inferring Complex Evolutionary Histories, 146–157
Aonyx capensis, 336
Aonyx, 326–327, 329
Aotus, 129
Aparasphenodon, 779
Apes, 141, 143
aphyae, 716
Apiales, 706
Apicomplexa, 748
Apios americana–Phaseolus vulgaris, 582
Apios taiwaniana–Teramnus labialis, 584
Apis, 278
Aplastodiscus, 779
Aplocheiloid fishes, 158, 163
Aplocheiloidei, 163, 164
Apolemia, 925, 917, 922, 925
Approximately unbiased test, 218
Ap, 565
Aquifex aeolicus, 276
Arabacia, 297, 298
Arabidopsis thaliana, 441, 443
Arabidopsis, 441, 445, 452, 751
Arachnids, 277, 278, 284, 292
Araneae, 277–279, 285, 286, 293
Arbacia lixula, 279, 655
Arbacia, 279, 282, 285
Archaea, 268–270, 409, 411, 413, 744–749, 751–753
Archaeoattacus
edwardsii, 257, 262
staudingeri, 257, 262
Archaeoattacus
edwardsii, 257
staudingeri, 257
Archaeobatrachian frogs, 111
Archaeobatrachian Paraphyly and Pangaean Diversification of Crown-Group Frogs, Kim Roelants and Franky Bossuyt, 111
Archaeoglobus fulgidus, 276
Archaeopteryx, 606, 611
Archineura, 360
incarnata, 349
Archosauria, 530, 537–539, 541, 544, 545, 562, 570, 616, 617
Archosauromorphs, 531, 541, 543
Archosaurs, 544, 545, 562, 568, 569, 617
Arcoa, 593
gonavensis, 592
gonavensis–Gleditsia triacanthos, 581
Arctictis, 873
Arctocephalus, 324, 327
gazella, 336
Arctogalidia, 873, 883
Arctoidea, 332
Arctonyx collaris, 325
areas of endemism, 23, 26, 28–30, 338
arenarius, 301
Argema mittrei, 257
Argenteohyla, 779
Argiope bruennichi, 278, 279, 294
Argiope, 277, 278, 280, 281–286, 289, 290, 292–294
Argyroxiphium, 63, 64
armata, 802
Arsenura armida, 257

Artemia franciscana, 279
Artemia, 279, 281, 282, 283, 285, 287, 289, 291, 293, 294, 297, 298
Arthropoda, 277
Arthropods, 72, 74, 169, 277, 278, 287, 651, 674, 675, 743, 883, 896
Artiodactyla, 671
Arvicolinae, 729
Ascaphus montanus, 113
Ascaphus, 111, 116, 118–120, 120–122, 124, 398
  truei, 113
  truei (montanus), 96
Ascomycetes, 748
AsIs coding, 303
Aspergillus, 210
Assumptions, 15, 115, 120, 121, 134, 161, 199, 218, 220, 227, 299, 307, 313, 338, 339, 364, 373, 446, 450, 452, 467, 476, 504, 521, 532, 544, 548, 553, 567, 570, 613, 640, 669, 671, 673, 674, 677, 684, 778, 779, 808, 814, 815, 817, 831, 861, 879, 931, 950, 951, 970, 974, 975, 984
Asteraceae, 60
Asterina pectinifera, 279
Asterina, 279, 282, 289, 290, 297, 298, 280, 281, 284, 289, 292
Asteromonas gracilis, 939
Astraptes fulgerator, 854
Asymmetric
  distances and ITSEs, 426
  mutational constraints, multiple reversals of, 277
  tree-to-tree distances, 426
Asymmetry, 277
Asynchronous Colonization of Madagascar by the Four Endemic Clades of Primates, Tenrecs, Carnivores, and Rodents as Inferred from Nuclear Genes, Céline Poux, Ole Madsen, Elisabeth Marquard, David R. Vieites, Wilfried W. de Jong, and Miguel Vences, 719
Atadenovirus, 127, 135, 137, 140, 143
Ateleia herbertsmithii–Albizia julibrissin, 581
Atelopus varius, 783
Atelopus, *Bufo*, 789
Athelia, 662
Athorybia, 917, 918, 922, 928, 932
  rosacea, 917, 922, 931
Atilax paludinosus, 336
Atilax, 327
Atkinson, Quentin D. and Gray, Russell D., Curious Parallels and Curious Connections—Phylogenetic Thinking in Biology and Historical Linguistics, 513–526
atp 6-9, 654
atp6, 277, 278, 280, 281, 284, 286, 287, 289
ATP7A, 482
atp8, 277, 278, 280, 281, 284, 285, 286, 287, 289
atp9, 653
atpB-like trees, 185, 188
atpB-rbcL, 301, 302
atpB, 184–188, 190, 191, 193, 462
Atractomorpha echinata, 939
atrata, 360
atricapilla, 36
Atrocalopteryx atrata, 349
Atrocalopteryx, 360
Attacus
  caesar, 257
  lorquinii, 257
aurora, 7, 13
Australia, 21, 22, 49, 52, 54, 61, 159, 161, 174, 26, 27, 31, 347, 377, 398
australis, 45, 61
Australochelys, 544, 614
Autapomorphy, 16, 876, 883
Automated Phylogenetic Taxonomy: An Example in the Homobasidiomycetes (Mushroom-Forming Fungi), David S. Hibbett, R. Henrik Nilsson, Marc Snyder, Mario Fonseca, Janine Costanzo, and Moran Shonfeld, 660
Automeris io, 257
Automeris zephyria, 257
avenae, 211
average consensus, 421
average dendrogram, 421
Aves, 563, 596, 598, 610–612, 615, 616
Aviadenovirus, 135
Avian Malaria Parasites and Other Haemosporidia, Catherine Cosgrove, 860
Avian malaria, 860
Avifilopluma, 607
AWTY, 964, 965
bachmannii, 301
Bacillus halodurans, 276
Bacillus subtilis, 276
Bacillus, 197, 270
Bacteria, 75, 146, 198, 210, 212–214, 212, 268, 292, 513, 715, 841, 848
Baena, 533
Baker, Richard H., see Gatesy, John, 483–492
Balaena mysticetus, 79
Balaena, 85
Balaenoptera, 79, 84, 86, 87
  acutorostrata, 79
  bonaerensis, 79
  brydei, 79
  musculus, 78, 79
  physalus, 78, 79
Balaenopteridae, 77–79, 81, 82, 84, 86–88
Balakrishnan, Rohini, Species Concepts, Species Boundaries and Species Identification: A View from the Tropics, 689–692
Balance, 153, 340, 343, 379, 419, 426, 461, 462, 467–469, 521, 844, 959, 975, 982, 985
Balanoglossus, 279, 281, 292, 282, 297, 298
  carnosus, 279, 653, 655
Balansia, 210
Baleen whales, 77, 82
Bambusoideae, 212
Baphia massaiensis–Baphia madagascariensis, 582
Baphia massaiensis–Vicia sativa, 582
Bargmannia, 922, 931, 925
  amoena, 922
  elongata, 917, 922, 931, 932
Barkudia, 376
Barleria prionitis, 708
Barleria-Thunbergia, 700
Barnebyanthus buchananensis, 587
Barnebyanthus, 593
Barraclough, Timothy G., see Vogler, Alfried P., 4–20
Bartsia alpina, 708
Basidiomycetes, 661, 748
baska, 613
Bassaricyon, 325, 327
  gabbii, 336
Bassariscus, 871
Batagur baska, 613
Batagur, 612
Batrachia versus Procera, 395
Batrachoseps major (attenuatus), 95
Batrachuperus mustersi, 760
Bauhinia purpurea, 592
Bauhinia tomentosa, 592
Baurubatrachus pricei, 123, 124
Bayes factor(s), 373, 381, 386
Bayesian analyses, 719
Bayesian analysis, 471

Bayesian divergence age estimation, 111
Bayesian estimation of alignment and phylogeny, 401
alignment sampling, 408
alignment uncertainty, 410, 413
computation, 409
convergence and mixing, 415
decreased burn-in time, 415
gap model, 405
model and priors, 410, 411
phylogeny estimation, 410, 413
posterior sampling via MCMC, 407
probabilistic model, 404
substitution model, 404
topology sampling, 407
Bayesian inference
carnivora, 321
phylogenetic inference, 241
Bayesian methods (Cambrian Explosion), 672
incorporation of fossil information, 676
prior distribution of evolutionary rates, 673
prior distribution of relative node ages, 674
Bayesian phylogenetic analyses
green algae (Chlorophyta), 939
phylogenetic trees, 839
Scincid lizards, 376
Bayesian phylogenetics inference and polytomous tree topologies, 241
add-edge move, 245
bayesian MCMC analyses, 244
change-edge move, 244
conventional MCMC, 247, 251
convergence and mixing, 250
delete-edge move, 246
example (simulation), 252
example (empirical), 247
larget-Simon move, 244
ML bootstrapping, 247
prior distributions for topologies, 247
Problem, nature of, 242
reversible-jump MCMC analyses, 244, 248, 250
Bayesian phylogenetics, 241, 401, 575, 936
Bayesian posterior probabilities, 66
Bayesian, 6, 3, 38, 41–44, 66, 68–75, 80, 91, 94–99, 101–103, 109, 110, 112–117, 124, 151, 177, 192, 212, 218, 233, 241–244, 247–250, 252, 253, 259, 263, 277, 278, 280, 281, 285, 287–290, 293, 317–322, 324–331, 333, 334, 347, 348, 350, 351, 353, 357, 373, 374, 376, 378–380, 383, 385, 392–394, 396, 398, 401–403, 409–411, 414, 415, 455–468, 471–478, 501, 503, 505, 506, 521, 560, 560, 575–587, 622, 625, 626, 628, 639–641, 643–645, 673, 675–677, 711, 712, 720–722, 724–726, 731–741, 743, 746, 753, 758, 761, 762, 764–775, 778, 780–792, 794–796, 798–802, 805, 807, 834, 835, 837–840, 898, 900, 902, 904, 910, 912, 916, 920, 922, 924, 925, 927–933, 936–940, 943–946, 950, 960, 961, 963, 965, 981–985
BDNF, 482
Beauveria bassiana, 211
Beck, Robin M. D., see Bininda-Emonds, Olaf R. P., 668–671
Beenakia, 662
Behavioral characters, 532, 543, 691
Best-fit model, 44, 639
Between Two Extremes: Mitochondrial DNA is neither the Panacea nor the Nemesis of Phylogenetic and Taxonomic Inference, Daniel Rubinoff and Brenden S. Holland, 952–961
Bevan, Rachel B., Lang, B. Franz and Bryant, David, Calculating the Evolutionary Rates of Different Genes: A Fast, Accurate Estimator with Applications to Maximum Likelihood Phylogenetic Analysis, 900–915
bielanensis, 279
Bilateria, 656
Bininda-Emonds, Olaf R. P., Beck, Robin M. D. and Purvis, Andy, Getting to the Roots of Matrix Representation, 668–671
Bininda-Emonds, Olaf R. P., see Jeffery, Jonathan E., 230–240
Bioconsensus, 430
Biodiversity conservation, 527
Biodiversity crisis, 692
Biodiversity, 936
Biogeographic Interpretation of Splits Graphs: Least Squares Optimization of Branch Lengths, Richard C. Winkworth, David Bryant, Peter J. Lockhart, David Havell, and Vincent Moulton, 56
Biogeographic patterns, 399
Biogeography, 21, 56, 338, 347, 634
Bioinformatics, 2, 3, 181, 200, 346, 660, 822, 960, 965, 982–984, 986
Biological Journal of the Linnean Society, 851
BioMedNet News, 850
Bird, 513
Biziura lobata, 36
Biziura, 36, 37
Blumeria graminis, 211
Blumeria, 211
Boana, Scinax, 798
Boana, 786, 789, 790, 795, 800, 802, 807
boans, 789
bogotensis, 802
Boletus, 662
Bolitoglossa helmrichi (subpalmata), 95
Bolusanthus speciosus–Sophora davidii, 581
Bolusanthus speciosus–Spartium junceum, 581
Bombinatoridae, 113, 116, 118–120, 122
Bombina, 116, 118, 119, 120, 122
fortinuptialis, 392
orientalis, 113
variegata, 113
Bombyx mori, 256, 278
Bona fide, 640
Bone histology, 562
Bone microstructure of sauropsids, 562
Bonett, Ronald M., see Wiens, John J., 91–110
Bonferroni correction, 115
Bootstrap, 218, 247, 464, 473, 474
Boraginaceae, 60
Borago officinalis, 708
Borago-Nicotiana, 700
borealis, 79
Borrelia burgdorferi, 276
Bos taurus, 135, 279, 392
Bossuyt, Franky, see Roelants, Kim, 111–126
Bos, 279, 281, 282, 297, 298, 292
Bowdichia, 587, 593, 594
Bowringia, 587, 593
Brachiopods, 653, 675
brachioradialis, 892
Brachymeles, 376, 382
gracilis, 377
talinis, 377
Brachytarsomys, 719
albicauda, 729
Brachyuromys, 719
Bracteacoccus aerius, 939
giganteus, 939
medionucleatus, 939
Bracts, 932
Bradypus tridactylus, 730
Bradypus/Cyclopes, 730
Bradyrhizobium, 213
japonicum, 276

Bradysaurus seeleyi, 533
Bradysaurus, 533
Branch and bound search, 624
Branch length and bayesian posterior probability, 455
  bayesian estimation of rooted tree for three species, 455
  bayesian model comparison and phylogeny estimation, 465
  bayesian posterior probabilities versus bootstrap proportions, 464
  computer simulation, 456
  effect of branch length prior in simulated data, 456
  factors inflating posterior probabilities for trees, 465
  fair-coin and fair-balance paradoxes, 461
  land plant data analysis, 462
  modifications to Bayes and MCMC analysis, 464
  posterior probabilities distribution, 458
  sequence alignment, 462
  simulation experiment, 455
  simulation results, 456
Branch length estimation
  angiosperm genera simulation study, 186, 193
  green algae (Chlorophyta), 943
  least squares optimization of, 56
  splits graphs and, 62
Branch testing in phylogenetics
  correcting for multiple tests, 220
  function f and maximum likelihood, 219
  HIV-1 organ compartmentalization, 226
  implementation, 220
  least-squares likelihood ratio test for, 218
  rRNA-tRNA data, 222
  simulations, 221
  weighted least-squares, 220, 224
  weighted least-squares and maximum likelihood, 219
Branch-Length Prior Influences Bayesian Posterior Probability of Phylogeny, Ziheng Yang and Bruce Rannala, 455
Branches, untangling long, 620
Branching dates estimation with relaxed molecular clock, Mysticete whales evolution, 80
Branchiopoda, 277, 279, 284, 285, 294
Branchiostoma floridae, 279, 655
Branchiostoma, 277, 278, 279, 281, 282, 283–286, 289, 292–294, 297, 298
Brandley, Matthew C., Schmitz, Andreas and Reeder, Tod W., Partitioned Bayesian Analyses, Partition Choice, and the Phylogenetic Relationships of Scincid Lizards, 373–390
Brasiella, 7
BRCA1, 482
Bredemeyera, 594
brid, 513
Brinkmann, Henner, Giezen, Mark van der, Zhou, Yan, Raucourt, Gaëtan Poncelin de and Philippe, Hervé, An Empirical Assessment of Long-Branch Attraction Artefacts in Deep Eukaryotic Phylogenomics, 743–757
Britton, Tom, Estimating Divergence Times in Phylogenetic Trees Without a Molecular Clock, 500–507
Bromeliaceae: Profile of an Adaptive Radiation, Thomas J. Givnish, 340
bromeliacia, 802
Bromham, Lindell, see Welch, John J., 672–677
brothers Grimm, 517
Brownian motion, 673
Brucella melitensis, 276
Brucella suis, 276
Brugmansia, 212
Brya ebenus–Tipuana tipu, 581
Bryant, David, see Bevan, Rachel B., 900–915
Bryant, David, see Winkworth, Richard C., 56–65
Bryophytes, 936
Bryozoans, 931, 933
buchananensis, 593
Buchnera aphidicola, 276
Buchnera, 270, 272, 276
bucklandi, 598
buettneri, 533
Bufo, 789
  melanostictus, 392
Bulbochaete hiloensis, 939
Burn-in time, 415
  trees, 378
Butterflies, 508
Butterflies: Ecology and Evolution Taking Flight, George Gibbs, 508
c-myc, 778, 782, 704, 785, 789, 795, 803, 807
Cable, 708
Caecilians, 93, 112, 114, 118, 124, 391, 393–396, 399
Caesalpinia andamanica–Haematoxylum brasiletto, 581
Caesalpinia pulcherrima–Albizia saman, 584
Caesalpinia, 510, 593
Caesalpinioideae, 510
Calceolaria mexicana, 708
Calculating the Evolutionary Rates of Different Genes: A Fast, Accurate Estimator with Applications to Maximum Likelihood Phylogenetic Analysis, Rachel B. Bevan, B. Franz Lang, and David Bryant, 900
Calia secundiflora–Calia arizonica, 581
Calibration, 23, 25–30, 62, 115, 121, 162, 169, 174, 175, 347, 350, 351, 445, 446, 453, 589, 640, 674–677, 715, 716, 720, 722, 725, 727, 764, 815, 856
Caliphaea angka, 349
Caliphaea confusa, 349
Caliphaea, 353, 359
Callerya atropurpurea–Vicia sativa, 582
Callicarpa dichotoma, 708
Callmander, Martin W., see Yuan, Yong-Ming, 21–34
Callorhinus ursinus, 336
Callorhinus, 324
Callosamia securifera, 257
Calomyscus mystax, 729
Calopsis burchellii, 301
  viminea, 301
Calopteridae, 347
Calopterygoid Damselflies, 347
Calopteryx, 347, 351, 353, 360
  aequabilis, 349
  amata, 349
  andancensis, 351
  atrata, 351, 360
  cornelia, 349
  exul, 349
  haemorrhoidalis, 349
  intermedia persica, 349
  japonica altaica, 349
  japonica japonica, 349
  maculata, 349
  orientalis, 349
  splendens ancilla, 349
  splendens caprai, 349
  splendens johanseni, 349
  splendens taurica, 349
  splendens, 349, 360
  syriaca, 349
  virgo virgo, 349
  xanthostoma, 349
Calpurnia aurea–Spartium junceum, 581
Calpurnia, 594

Calyptahyla, 779, 802–803
Cambrian Explosion (bayesian methods), 672
  incorporation of fossil information, 676
  prior distribution of evolutionary rates, 673
  prior distribution of relative node ages, 674
camelus, 602
Camin-Sokal parsimony, 420, 670
Campylobacter jejuni, 276
Can Incomplete Taxa Rescue Phylogenetic Analyses from Long-Branch Attraction?, John J. Wiens, 731
Canary, 634, 636, 638, 642, 647
cancriformis, 279
Candida albicans, 484, 486, 488, 493, 494, 809, 811
Candidate tree, 115
Candide, 515
Canidae, 323, 324, 327, 331, 332, 336, 730, 830
Canids, 318, 871, 890
Caniformia, 324, 327
Canis, 323, 327
  familiaris, 336, 730
  latrans, 337
  lupus, 324, 336
  rufus, 336
Canterbury Tales, 521
Cantharellus, 662
Cao, Ying, see Holland, Barbara R., 77–90
Cape Flora, 299
Cape Verde conus phylogeny, 634
Caperea marginata, 79, 82
Caperea, 82, 84, 87
Captorhinidae, 533, 537
Captorhinids, 530, 531, 542, 543
Caragana arborescens–Astragalus americanus, 582
Caragana arborescens–Hedysarum boreale, 582
Cardoso, Anabela, see Vogler, Alfried P., 4–20
carinensis, 394
  feae, 113
Carnivora (mammalia), molecular phylogeny of, 317
  bayesian inference, 321
  Caniformia, 324, 327
  data collection, 318
  effect of additional IRBP data, 330
  effect of missing data, 327
  Feliformia, 326, 328
  implications for reconstructing ancestral body size in arctoidea, 332
  maximum parsimony, 320
  missing data, 322
  phylogenetic analyses, 319
  variable support for pinnipedia position under MP analyses of different taxon samples, 330
Carnivora, 317, 730
Carnivores, 71, 134, 723, 867
Carroll, 708
Carteria obtuse, 939
Cascaronia astragalina–Stylosanthes hamata, 581
Casea, 533
Cassens, Insa, Mardulyn, Patrick and Milinkovitch, Michel C., Evaluating Intraspecific "Network" Construction Methods Using Simulated Sequence Data: Do Existing Algorithms Outperform the Global Maximum Parsimony Approach?, 363–372
Castanet, J., see Cubo, J., 562–574
Castilho, Rita, see Cunha, Regina L., 634–650
Catalpa speciosa, 708
Cattle, 142
Caudiverbera, 786, 800, 789
  caudiverbera, 781
Caulobacter crescentus, 276
Cavia porcellus, 729
Cenozoic, 21, 158, 161, 162, 360, 398, 575, 592, 602, 610, 640, 719
Centipedes, 277
Centrolene prosoblepon, 789
Cer. aethiops, 141
cerasina, 955, 956
Ceratitis, 281, 282, 289
  capitata, 279
Ceratobasidium, 662
Ceratonia, 593
Ceratophrys ornata, 113, 783
Ceratotheca triloba, 708
Ceratotherium simum, 730
Ceratotherium/Diceros, 730
Cercidium floridum, 593
Cercis canadensis–Bauhinia purpurea, 584
Cercis canadensis–Cercis siliquastrum, 584
Cercis canadensis–Zenia insignis, 584
Cercis canadensis, 592
Cercis occidentalis–Bauhinia tomentosa, 581
Cercis occidentalis–Cercis gigantea, 581
Cercis occidentalis, 592
Cercis, 592
Cercocebus aterrimus, 135
cerevisiae, 488, 489
Cetacea, 77, 671
Cetaceans, 84, 87, 101, 669
Cetartiodactyla, 71, 721, 722
Cetotherium rathkii, 86
Chaetopeltis orbicularis, 939
Chaetophora incrassata, 939
Chaetosphaeridium globosum, 938
Chalcides, 373, 382, 387
  chalcides, 377, 380
  mionecton, 377
  ocellatus, 377
  polylepis, 377
Chalcidoseps, 376
Chamaecrista fasciculata–Senna covesii, 581
Chameleons, 21
Chapmannia–Stylosanthes, 581
Characiosiphon rivularis, 939
Characium hindakii, 939
Character List, 6
Character partitions, 483
Characters, 953–955, 959, 960, 965–973, 976, 981, 982, 985
  change patterns (densely sampled trees), 14
  coding and ambiguity, 167
  hierarchic character patterns, 969
  molecular, 948–951, 954, 958–961, 965–968, 970, 972–977, 979–987
  morphological, 952, 953, 957–960, 967–973, 982
Characters, States, and Homology, John V. Freudenstein, 965
Cheirogaleidae, 729
Cheirogaleus medius, 730
Cheirogaleus/Microcebus, 729
Chelicerata, 277–279, 284–287, 293, 294, 655
Chelophyes appendiculata, 922, 928
Chen, Yue-Qin, see Zhang, Peng, 391–400
Chi-square tests, 258
Chicken, 39, 40, 115, 514, 861
Chilopoda, 279
Chimpanzee, 467
Chinemys, 613
Chioglossa lusitanica, 759, 760
Chioglossa, 774
Chippindale, Paul T., see Wiens, John J., 91–110

Chiroptera, 71, 174
Chlamydia pneumoniae, 276
trachomatis, 276
Chlamydomonas, 936
baca, 939
humicola, 939
noctigama, 939
reinhardtii, 939
Chlamydophila pneumoniae, 276
Chlamydopodium vacuolatum, 939
Chlorella, 936
ellipsoidea, 939
fusca, 939
minutissima, 939
saccharophila, 939
Chlorobium tepidum, 276
Chlorococcum, 936, 939
Chlorocypha curta, 350
Chlorogonium capillatum, 939
euchlorum, 939
Chlorokybus atmophyticus, 938
Chloromonas reticulata, 939
Chlorophyta, 936
Chlorosarcinopsis minor, 939
Choanoflagellata, 748
Chondrilla, 198
Choosing the Best Genes for the Job: The Case for Stationary Genes in Genome-Scale Phylogenetics, Timothy M. Collins, Olivier Fedrigo, and Gavin J. P. Naylor, 493
Choricystis minor, 939
Chromatograms, 258
Chromosomes, 442, 445
Chrotogale owstoni, 871
Chrotogale, 867
Chrysomya chloropyga, 279
Chrysomya, 279, 282, 289, 297, 298
Chunerpeton tianyiensis, 120
Chuniphyes multidentata, 922
Ci. armagosae, 7, 13
Ci. aurora, 12, 13
Ci. rufoaenea, 13
Ci. trifasciata, 7, 12, 13
Ci. willistoni, 7, 13
Cicer pinnatifidum–Cicer arietinum, 582
Cicerbita, 202, 204, 208, 209
Cichlidae, 162–164
Cichorium, 197, 202, 204, 208, 209, 212
Cicindela + *Cicindelidia*, 13
Cicindela, 4, 5, 7, 11–14, 16–18
duodecimguttata, 17
maritima, 17
Cicindelidae, 4
Cicindelidia, 7, 12, 13
ciliolata, 63
cinereus, 301
circumcincta, 919
circumdata, 789
circumdata, 802
Citheronia sepulcralis, 257
Civettictis + *Viverra*, 873
Civettictis civetta, 337
Clade, 97, 608
Cladistics, 831
Cladogenesis patterns in venomous marine gastropod genus Conus, 634
bayesian analysis, 639
combined data set, 642
comparing marine and terrestrial modes of insular speciation, 647
correlation between shell size and Cape Verde conus phylogeny, 640, 642
DNA sources and extraction, 638
double origin of conus, 646
main cladogenetic events consistent with geological dates and eustatic sea level events, 646
maximum likelihood (ML) analyses, 639
maximum parsimony (MP) analyses, 639
mitochondrial data set, 640
nonplanktonic lecithotrophy and species diversification, 646
nuclear data set, 642
PCR amplification and sequencing, 638
phylogenetic analysis, 638
rates of evolution and divergence time estimation, 640, 642
testing diversification rate through time, 640
Cladogenesis, 9, 124, 127, 138, 141–143, 192, 385, 513, 646, 758, 773, 774, 974, 980–983
Cladrastis delavayi, 593
Cladrastis sinensis–Sophora japonica, 584
Cladrastis, 593
Classification, 7, 14, 25, 66, 112, 158, 159, 163, 164, 203, 258–262, 264, 265, 272, 279, 285, 294, 340, 509–511, 514–518, 520, 596, 607, 655, 660–662, 665, 667, 689, 697, 760, 778, 779, 800–803, 77, 824, 832, 835, 848–851, 865, 868, 879
Clathrotropis, 587, 593
Claudiosaurus germaini, 533
Claudiosaurus, 533
Clausophyes ovata, 922
Clausophyid, 922
cleidomastoideus, 880
Clethrionomys glareolus, 729
Clocklike evolution, 162
Clostridium acetobulyticum, 276
Clostridium perfringens, 276
Cluster analysis, 494, 496
Cnidaria, 653, 916
Cnidarians, 652
Co-occurrence, 969
Coahomasuchus kahleorum, 533
Coalescence, 954
Coates, Michael I., see Jeffery, Jonathan E., 230–240
Codivergence, 127
Coding scheme (phylogenetic compression), 155–157
forest coding scheme with separately described trees, 156
forest coding scheme with trees described by rearrangement, 156
matrix encoding, 155
model encoding, 156
single tree coding scheme, 156
Codon models, 808
partitions, 151, 720
positions, 6, 9, 14, 72, 73, 80, 81, 83, 150, 151, 185–187, 190, 191, 193, 261, 280, 281, 283, 284, 289, 290, 292, 321, 373, 379, 385, 388, 392, 462, 46, 494–497, 499, 575, 584, 720, 721, 772, 784, 808–811, 814, 815, 817
Codon-substitution models, 808
concatenated data analyses, 811
estimation of relative divergence times, 815
fit of models to data and their utility in phylogeny reconstruction, 814
information content in amino acid and codon sequences, 816
reconstruction and tests of phylogenetic trees, 810
separate genes analyses, 812
sequence data, 809

substitution models assumed in likelihood analyses, 809
utility of codon models in phylogeny reconstruction, 816
Coelastrum microporum, 939
Coeliccia loogali, 350, 357
Coelomata hypothesis, 651
Coenocystis inconstans, 939
Coevolution aspects
host and parasite phylogenies, 712, 715
Coevolution, 143, 344, 3, 524, 620, 710, 717, 853
COI, 853
Coleochaete orbicularis, 938
scutata, 938
Coleoptera, 4, 279, 288, 294
Colias philodice, 508
Collembola, 278, 279, 290, 294, 675, 677
Collins, Timothy M., Fedrigo, Olivier and Naylor, Gavin J. P., Choosing the Best Genes for the Job: The Case for Stationary Genes in Genome-Scale Phylogenetics, 493–499
Colobus, 137, 141
badius, 129
guereza, 135, 137
Colonial animals, 916
Colonization, 31, 47, 62, 72, 161, 342, 634, 638, 640, 646, 647, 715, 719, 720, 722, 725, 727
Coloradia pandora, 257
Colostethus, 784, 807
Colutea arborescens–Astragalus americanus, 582
Combined analysis, 483, 778
Combining data, 379, 731, 733, 784
Comparative method, 513
Comparing Host and Parasite Phylogenies: Gyrodactylus Flatworms Jumping from Goby to Goby, Tine Huyse and Filip A. M. Volckaert, 710
Complex characters, 565
models, 71, 153, 521, 751, 755, 815, 948–951, 962, 974–983, 985–987
Complexity, 1, 56, 58, 60, 62, 67, 74, 76, 122, 146, 151–153, 171, 183, 185, 193, 363, 374, 446, 514, 516, 518, 521, 560, 560, 595, 605, 609, 651, 652, 693, 695, 732, 752, 837, 850, 879, 882, 910, 931, 966
Component, 177, 247, 255, 259, 265, 266, 299, 304, 305, 420–422, 424–427, 429, 433, 436, 438, 439, 446, 494, 499, 553, 562, 563, 600, 601, 603, 606, 617, 663, 665, 674, 681, 685, 686, 690, 809, 811, 828, 832, 852, 853, 953, 958
Compositional heterogeneity, 261
Compression, 146
Compression. See Phylogenetic compression
Computer simulation, 456
Concerted evolution, 62, 967, 969, 973
Conepatus mesoleucus, 336
Confidence intervals, 62, 350, 498, 499, 506, 645, 677
Conflict, 4, 7, 9, 12, 15, 16, 38, 49, 66, 72, 74, 75, 84, 87, 112, 146, 151–153, 164, 174, 204, 210, 213, 237, 247, 260, 262–264, 287, 324, 328, 363, 407, 419–423, 426, 427, 430, 483–485, 487, 490, 491, 494, 496, 530, 620–622, 624, 625, 628, 629, 631, 669, 677, 697, 699, 704, 705, 738, 750, 758, 789, 790, 814, 823–830, 857, 867, 879, 883, 924, 952–954, 956, 960
Conflicting phylogenetic signals, 151
Congruence test (Exacum), 23
Congruence, 197, 203
mitochondrial DNA, 952, 953, 958–961, 965, 976, 982, 983
Conifers, 943
Consensus network method, 66–76
amino acids versus nucleotides and hexapods origin, 72
applications, 68
phylogenetic reliability indices and placental mammals phylogeny, 68
Consensus networks, 620
Consensus trees, 66
Consensus, 419
Conservation, 51, 54, 124, 314, 631, 655, 819, 951, 952, 958–960
Consistency index, 46, 115, 270
Constrained analysis, 865
sampling, 421
tree, 870, 873, 882, 920
Content, 595
Continuous characters, 299, 304, 313, 563, 565–567
Control region (CR), 285, 286
Conus, 634, 635, 636, 638, 639, 640, 641, 642, 643–648
(Chelyconus) ventricosus, 640
(Lithoconus) pulcher, 640
boavistensis, 640
diminutus, 640
ermineus, 639
raulsilvai, 640
tabidus, 639
trochulus "nivifer", 640
venulatus "nivifer", 640
Convergence and mixing, 250, 415
Convergence, 865
and phylogenetic perturbation, 868, 874
bayesian estimation of, 415
characterization in viverrid-like taxa as non-adaptive morphological mosaics, 876
defined, 866
Copaxa
cydippe, 257
multifenestrata, 257
Copaxa cydippe, 262
Copaxa
cydippe, 257
multifenestrata, 257
Cophocetus, 86
Cophylogeny mapping
for Papillomavirus and Adenoviridae, 134
paralogous lineages and, 127
viral cophylogeny, 141
Cophylogeny, 127–129, 134, 135, 138, 143
Coprinellus, 661
Coprinopsis, 661
Coprinus, 661, 667
Cordagalma cordiforme, 922, 924, 926, 931
Cordeiro-Estrela, Pedro, see Gaubert, Philippe, 865–894
Cordicephalus gracilis, 123
cordifolia, 261, 264
Cordylidae, 376
Cordylus, 376, 377, 541
Corfe, Ian, see Wilkinson, Mark, 823–830
Cornales, 706
Cornyebacterim efficiens, 276
Coronilla varia–Lotus corniculatus, 584
Coronilla varia–Lotus japonicus, 582
Corroboration, 199, 537
Corthals, Angelique and Desalle, Rob, An Application of Tissue and DNA Banking for Genomics and Conservation: The Ambrose Monell Cryo-Collection (AMCC), 819–822
Corticium, 662
Corvus corone, 565
Corvus, 602
Corythomantis, 779
Coscinocera hercules, 257
Cosgrove, Catherine, Avian Malaria Parasites and Other Haemosporidia, 860–863
Cospeciation, 2, 127, 129, 710–717
Costanzo, Janine, see Hibbett, David S., 660–667
Cotton, James A., see Wilkinson, Mark, 419–431, 823–830

Cotylanthera, 23
Cotylidia, 662
Counterexample to a Claim About the Reconstruction of Ancestral Character States, Brian Lucena and David Haussler, 693
Coursetia axillaris, 577, 594
Cows, 138, 721
Cranial characters, 532
Craseoa lathetica, 922
Credible intervals, 900
Creevey, Chris, see Wilkinson, Mark, 419–431
Creoles, 513
Cricetinae, 729
Cricetomyinae, 722, 729
Cricetomys + *Steatomys*, 722
Cricetomys, 722
  gambianus, 729
Crickets, 689, 691, 956, 960
Cricula andrei, 257
Crioceris, 281, 282, 283
  duodecimpunctata, 279
critical taxonomic content, 612
Crocidura russula, 730
Crocodiles, 530, 562, 616
Crocodilians, 616
Crocodylia, 563–565, 568, 570, 572, 616
Crocuta crocuta, 337, 730
Crocuta, 323, 326
Crossarchus, 328, 331, 333
  obscurus, 336
Crotalaria pumila–Spartium junceum, 581
Crown-group frogs, pangaean diversification of, 111
  Amphicoela, 121
  Anuran phylogenetic relationships, 121
  covarion-like evolution, 114, 117
  Discoglossoidea, 122
  distantly related outgroups, 114, 118
  divergence times, 115, 120
  evaluation of alternative phylogenetic hypotheses, 115, 118
  pangaean diversification of Crown-group frogs, 123
  Pelobatoidea and Neobatrachia, 122
  phylogenetic robustness, evaluation of, 114, 117
  Pipoidea, 122
  sequence alignment and phylogeny inference, 112, 115
  substitution rate and homoplasy, 114, 117
  taxon sampling and DNA sequencing, 112
Crustacea, 277–279, 285–287, 290, 293, 294
Crustaceans, 72, 74, 281, 288, 292, 514, 651
Cryogenic freezers, 820, 822. See also Frozen tissues
Cryptic species, 663, 853, 956, 960
Cryptobatrachus, 779, 782
  alleganiensis, 760
Cryptococcus neoformans, 745
Cryptodira, 607, 608
Cryptodires, 607, 608, 613
Cryptophytes, 743
Cryptoprocta ferox, 337, 730
Cryptoprocta, 328, 866, 867, 870, 871, 873, 875, 879, 880–883
Cryptoprocta, 865
Cryptoprocta, 879, 880, 881
Cryptoprocta, 880, 881
Cryptoscincus, 376
Cubo, J., Ponton, F., Laurin, M., Margerie, E. de and Castanet, J., Phylogenetic Signal in Bone Microstructure of Sauropsids, 562–574
cultripes, 113
Cunha, Regina L., Castilho, Rita, Rüber, Lukas and Zardoya, Rafael, Patterns of Cladogenesis in the Venomous Marine Gastropod Genus *Conus* from the Cape Verde Islands, 634–650
Cunoniaceae, 575
Curious Parallels and Curious Connections—Phylogenetic Thinking in Biology and Historical Linguistics, Quentin D. Atkinson and Russell D. Gray, 513
Cyamodus, 534
Cyamopsis senegalensis–Indigofera suffruticosa, 582
Cyamopsis senegalensis–Phaseolus vulgaris, 582
Cyclopes, 730
Cyclorana, 779, 786, 789, 790, 800, 801, 803
Cylindera, 7, 13
Cylindrobasidium, 662
Cylindrocapsa geminella, 939
Cylindrocystis brebissonii, 938
  crassa, 938
cylindrus, 938
Cymbomonas tetramitiformis, 938
Cynictis pencillata, 336
Cynictis, 871
Cynogale, 871
Cyprinodontiformes, 161
Cyprinus carpio, 392, 393
Cyprinus carpio, 392
Cytochrome *b*, 37, 40, 42, 43, 49, 51, 84, 363, 638, 640, 723, 785, 869
Cytochrome oxidase III, 5
Cytomegalovirus, 129
Czatkobatrachus, 398
  polonicus, 123
Dactylogyrus, 716
Dalbergia hupeana–Machaerium lunatum, 584
Dalbergia hupeana, 577, 594
Dalbergia sissoo–Ormocarpum kirkii, 581
Dalbergia sissoo–Tipuana tipu, 581
Damselflies, 347
Daphnia, 281–282, 288, 294
  pulex, 279
Darters, 620, 621, 623–626, 628, 629, 631
Darwin's finches, 634
Darwin, 513
Darwinism Tested by the Science of Language, 517
Data collection and alignment, 444
Data set support (phylogeny reconstruction), 166
Data sets, 149
  amniota, 535
  compression efficiency in phylogenetic, 149
  conflicting signals case study, 150
Dating analysis (densely sampled trees), 5
Dating, 27, 29, 30, 302, 347, 351, 391, 393, 720
Datura, 212
Daubentonia madagascariensis, 729
Daubentonia, 721
Davewakeum, 376
Daviesia latifolia–Aotus ericoides, 582
DeBry, Ronald W., The Systematic Component of Phylogenetic Error as a Function of Taxonomic Sampling Under Parsimony, 432–440
Deduction, 396
Deep eukaryotic phylogenomics and long-branch attraction, 743
  alignment assembling, 745
  comparison of simulated and real sequences, 754
  diverse tree reconstruction methods, 749
  model fitting to data and phylogenetic accuracy, 750
  neocallimastix ESTs, 745
  phylogenetic analyses, 746, 753
  removal of fast-evolving proteins, 746, 747

simulation studies, 747
species sampling and sensitivity to LBA artefacts, 751
Deep sea, 916
Definition, 595
Deinococcus radiodurans, 276
Deinonychus, 606
Delsuc, Frédéric, see Holland, Barbara R., 66–76
Demospongiae, 652, 655
Dendromurinae, 722, 729
Dendrophryniscus, 789
Dendropsophus, 802
Densely sampled trees, 4
character change patterns, saturation, and downweighting, 14
character weighting effects on tree topology and nodal support, 12
dating analysis, 5
detecting problems with DNA data quality, 16
distribution of character changes, 6, 9
divergence time estimation, 4
genetic distances, 5, 7
geometric morphometrics and multivariate theory of quantitative genetics, 4
homoplasy effect and nodal support, 15
interpreting and visualizing multivariate selection on shape, 6
laboratory procedures and phylogenetic analysis, 5
magnitude and direction, 6
parsimony analysis and phylogeny of north american cicindela, 7
phylogenetic analysis, 5
phylogenetic relationships and biogeographic patterns, 7
pluralistic approach, 13
rate variation among partitions and saturation, 9
sequence analysis and alignments, 4
sequence variation in genes and spacers, 7
shape distance for non-isotropic variation, 7
species identification, 11, 12
tree statistics and level of congruence in data partitions, 7
Dental characters, 873
Dermochelys, 606
Dermophis mexicanus (Typhlonectes compressicauda), 95
Derris laxiflora–Tephrosia grandiflora, 584
Desalle, Rob, see Corthals, Angelique, 819–822
Desert soil green algae (Chlorophyta), 936
bayesian credible intervals versus frequentist hypothesis tests, 945
bayesian phylogenetic analyses, 939
choice of branch length prior distribution, 943
Faith's uniqueness measure, comparison to, 944
Martin's measures, comparison to , 944
phylodiversity, 940, 944
phylogenetic analysis, 938
sample collection, 938
Desmatosuchus haplocerus, 533
Desmidium grevillii, 938
Desmodesmus communis, 939
Desmognathus quadramaculatus (ochrophaeus), 95
Desmodium psilocarpum–Campylotropis macrocarpa, 582
Desmognathus, 95, 97
ochrophaeus, 760
Deuterostomes, 281, 655, 673–675
Deutsch, Jean, see Hassanin, Alexandre, 277–298
Development, 91, 254
Developmental sequences, 230
Diagnostic characters, 99, 100, 843, 863
Diapsida, 392, 530, 531, 537–539, 542–544, 562, 566
Diapsids, 530, 531, 536, 542–545, 562, 563, 567, 569, 570, 572
Dibamidae, 376
Dibamus, 376, 377, 382, 386
Dicamptodon aterrimus, 760
Dicamptodon ensatus, 96
Dicamptodon tenebrosus (aterrimus), 95
Dicamptodon tenebrosus, 760
Diceros bicornis, 730
Dictionary of the Fungi, 661, 662
Dictyochloris fragrans, 939
Dictyostelium discoideum, 745
didactylus, 730
Didelphis marsupialis, 730
Didelphis, 730
Die Darwinshce Theorie und die Sprachwissenschaft, 517, 518
Dinizia, 593
Dinosauria, 543, 598, 609, 613, 614, 617, 830
Dinosaurs, 3, 124, 169, 537, 544, 545, 563, 572, 596, 605, 607, 609, 611, 614, 617
Diphyes dispar, 917, 922, 928
Diplogale hosei, 871
Diplotropis brasiliensis–Spartium junceum, 581
Diplotropis brasiliensis, 594
Diplotropis martiusii–Bowdichia virgiloides 1, 581
Diplotropis, 587, 593, 594
Diploxylon, 700
Dipnoi, 392, 393, 395, 677
Dipogon lignosus–Teramnus labialis, 584
Diptera, 279, 281, 288
Dipteryx alata–Myrospermum sousanum, 581
Direct sequencing and primer walking, Mysticete whales evolution, 79
Discoglossoidea, 122
Discoglossus jeannae, 96
Discoglossus pictus, 113
Discoglossus, 111, 118–120, 122
Discolobium pulchellum–Riedeliella graciliflora, 581
Discolobium pulchellum–Tipuana tipu, 581
DISCRETE, 80, 94, 114, 167, 170, 243, 247, 254, 255, 258, 259, 299, 302–305, 309, 310, 312, 313, 392, 393, 414, 446, 461, 462, 474, 479, 499, 513, 514, 520–522, 531, 532, 535, 537, 563, 565, 566, 571, 640, 645, 694, 746, 782, 809, 810, 868, 882, 892, 898, 916, 939, 952, 966, 975, 983, 986
Discrete-gamma, 809
Disjunctive distribution in Indian Ocean Basin, 21
Dispersal ability, 158
Dispersal, 2, 21, 23, 26, 28–32, 64, 158–164, 175, 326, 339, 342, 343, 359, 387, 398, 399, 432, 610, 634, 635, 638, 646, 647, 712, 719, 727
Dissorophoids, 396
Distance, 218
analysis, 15, 441
measures, 218
Distances and Directions in Multidimensional Shape Spaces: Implications for Morphometric Applications, Christian Peter Klingenberg and Leandro R. Monteiro, 678
Distant outgroup, 743
DistR method, 900, 915
comparison to Bayesian estimates, 904, 910
comparison to ML estimates, 904, 908
inclusion into phylogenetic tree search of PHYML, 905, 912
Distribution patterns, 874
DIVA, 21
Divergence, 950, 953, 958, 960, 961, 971, 974, 975, 982
calibration (Exacum), 25, 29
dates, 808
time estimation, 347
cladogenesis patterns in venomous marine gastropod genus Conus, 640, 642
densely sampled trees, 4
in phylogenetic trees trees without molecular clock, 500
times, 25, 84, 347, 350, 640, 642

codon-substitution models , 815
Crown-group frogs, 115, 120
in phylogenetic trees, 500
Mysticete whales evolution, 84
Division of labor, 916
DNA Barcoding: Perspectives from a "Partnerships for Enhancing Expertise in Taxonomy" (PEET) Debate, Vincent S. Smith, 841
DNA, 5, 6, 14, 16, 23, 35, 39, 40, 45, 50, 54, 56, 58, 64, 77, 78, 84, 87, 94, 98, 103, 111, 112, 127, 129, 135, 136, 141, 143, 149, 150, 152, 157, 162, 168, 171, 179, 179, 183–185, 189, 192, 194, 213, 219, 225, 227, 258, 277, 278, 281, 291–293, 301, 334, 337, 345, 347–350, 352, 363–365, 373–376, 386, 388, 391–393, 398, 403, 434, 441, 455, 493, 500, 501, 503, 507, 513, 519, 530, 548, 559, 548, 559, 576, 620, 621, 638, 651–653, 656, 660, 672, 690, 691, 693, 705, 708, 712, 719, 720, 722, 727, 733–736, 738–740, 758, 759, 762, 763, 766, 769, 775, 778, 780, 782, 783, 790, 808, 809, 812, 815, 819, 820, 841–859, 867, 900, 919, 936, 938, 951, 952–954, 956, 958–961, 965, 967, 969, 971, 972, 976, 982, 983
barcoding
integrative taxonomy, need for, 844
limits of, 958
Partnerships for Enhancing Expertise in Taxonomy (PEET) Debate, 841
taxonomy, 852
equencing
ancestral ecology reconstruction, 301
ribosomal, 347
sequence data, 576
simulation, 758
banking, 819. *See also* Frozen tissues
extraction, 2
Doedicurus giganteus, 533
Dog, 137, 336, 337
Dolichomastix tenuilepis, 938
Dollo parsimony, 197, 207
Dollo's Law, 254
domesticus, 598, 602, 604
dominicus, 36
Dorometra, 279
Doublet model, 113, 117
Doyle, J. J., see Pfeil, B. E., 441–454
Dragonflies, 359, 360
dregeana, 205, 206
Drepanis funerea, 610
Dromochorus, 7, 13
Dromochoru, 13
Drosophila melanogaster, 279
Drosophila yakuba, 655
Drosophila, 279, 281, 282, 283, 285, 288, 297, 298, 634, 819
Dubautia, 63, 64
Duellmanohyla, 779, 789, 802
Dugong dugon, 730
Duliticola, 279
Dumont, Henri J., Vanfleteren, Jacques R., Jonckheere, Johan F. De and Weekers, Peter H. H., Phylogenetic Relationships, Divergence Time Estimation, and Global Biogeographic Patterns of Calopterygoid Damselflies (Odonata, Zygoptera) Inferred from Ribosomal DNA Sequences, 347–362
dumosus, 301
Dunaliella parva, 939
Dunn, Casey W., Pugh, Philip R. and Haddock, Steven H. D., Molecular Phylogenetics of the Siphonophora (Cnidaria), with Implications for the Evolution of Functional Specialization, 895–914
Dysdaemonia boreas, 257
Dysphaea walli, 350
Eacles imperalis, 257
Ecdysozoa, 651, 655, 656, 743, 752
Echimys chrysurus, 729
Echinacea, 198
Echinodermata, 277–280, 284, 285, 293, 297, 298, 653–655
Echinoderms, 169, 285, 292, 293, 651, 656, 673–675
Echinops telfairi, 730
Echo modesta, 349
Ecological characters, 299, 303, 690, 953
Ecological Genetics, 508
Ecology, 56, 66, 75, 91, 111, 146, 179, 180, 179, 180, 214, 241, 299, 306, 345, 455, 508, 511, 527, 620, 651, 710, 731, 778, 916, 936, 948, 958, 960, 961, 965
Edaphosauridae, 533
Edaphosaurus, 533
Edge lengths, 59, 62, 64, 68, 72
Egernia whitii, 377
Eggs, 110, 646, 647, 807
Eggshell morphogenesis in Antheraea, 254
abbreviations, 256
Aeropyle Crown Evolution, 262, 265
Aeropyle Crown, phylogenetic mapping of, 259, 261
electron microscopic analysis, 258
gene, taxon, and eggshell sampling, 256
molecular phylogenetic analysis, 258
molecular phylogeny of Antheraea, 260
northern analysis of developmental RNA from Antheraea polyphemus and Hyalophora cecropia, 259
sequence data collection and assembly, 257
taxonomic survey of eggshell surface structure, 259
Eggshell, 254
egregius, 382, 388
Eigenvalues, 686
Eira barbara, 336
Eira, 317, 325–328, 331, 332, 333
Ekollu, Vikram, see Hughes, Austin L., 268–276
Elattoneura analis, 350, 357
Elephas maximus, 730
Eleutherodactylus, 786
Eleutherodactylus, 801
Elgaria multicarinata, 377
Eliurus, 723, 729
Ellipsoptera, 7, 13
Elytraria crenata, 708
Elytraria-Thunbergia, 700
Emys, 613
orbicularis, 613
Enaliarctos, 332
Encephalitozoon cuniculi, 744, 745
Encephalitozoon, 744, 746–748, 752–754
Encyclopedia of Turtles, 607
Endeis spinosa, 278, 294, 279
Endeis, 280, 282, 289
endemic mammals, 719
Endemism, 22, 23, 26, 28–30, 338, 634, 647, 719
Endlicheria (Lauraceae) and Rhodostemonodaphne (Lauraceae), Jens G. Rohwer, 860
Endlicheria, 860
endosteum, 571
Enhydra lutris, 336
Enteromorpha intestinalis, 938
Entoloma, 665
Eocaecilia, 399
Eodichroma mirifica, 351
Eodiscoglossus oxoniensis, 120, 123
Eoraptor, 607

Epichloë, 210
Epistemology, 966, 973
Equal-rates Markov model, 895
equivocal matches, 826
Equus caballus, 730
Equus, 730
erectus, 301
Eremosphaera viridis, 939
Erenna, 922
Ericales, 706
Erignathus barbatus, 336
Erinaceus europaeus, 730
Erinaceus/Crocidura, 730
Erithacus, Sturnus, 571
Ermine, 336
Erythrophleum ivorense–Albizia saman, 584
Erythrophleum ivorense, 593
Erythrostemon gilliesii–Haematoxylum brasiletto, 581
Erythrostemon gilliesii–Senna covesii, 581
Escherichia coli, 276, 291, 292, 409, 920, 923
Escherichia, 270
Eschrichtius robustus, 79
Eschrichtius, Megaptera, 87
Eschrichtius, 84, 87
Eschrictius, 84
essentialist, 596
Estimating Divergence Times in Phylogenetic Trees Without a Molecular Clock, Tom Britton, 500
Ettlia minuta, 939
Eubacteria, 272, 409, 413
Eubalaena australis, 79
Eubalaena japonica, 79
Eubalaena, 85
Eudicots, 441
Euglena gracilis, 409
Eugongylus rufescens, 377
Eukaryote, 348, 413
eukaryotic tree, 743
Eulemur fulvus fulvus, 729
Eulenstein, Oliver, see Wilkinson, Mark, 419–431
Eumeces, 373, 375, 376, 378, 382, 386–388
  egregius, 377–379
  elegans, 377, 378
  fasciatus, 377, 378
  longirostris, 377, 378
  lynxe, 378, 377
  managuae, 378
  obsoletus, 378
  pavimentatus, 378
  schneideri, 378
  schwartzei, 378
Eunota, 7, 13
Euoplocephalus tutus, 533
Euoplocephalus, 537
Eupackardia calleta, 257
Euphaea impar, 350
Eupleres goudotii, 323
Eupleres goudoti, 730
Eupleres, 722, 867, 870, 871, 875, 879, 880, 883
Eupleres, 865
Eupleres, 880, 881
Euprepis perrotetii, 377
Eureptilia, 530, 531, 537–539, 543
europaeus, 604
Eurycea longicauda, 760
Eurycea neotenes, 96, 99, 102, 103
Eurycea quadridigitata, 113
Eurycea, 99
Eurylepis, 375, 376, 388
Euscorpius flavicaudis, 278, 279, 294
Euscorpius, 277, 278, 281, 282, 283–286, 289, 290, 292–294
Eusociality, 317, 328, 333
Eusorpius, 280
Eutherian mammals, 318, 669, 671
Eutherians, 237, 238, 671, 724
Euthore fasciata, 349
Eutypa, 197, 211
evaluate, 834
Evaluating Intraspecific "Network" Construction Methods Using Simulated Sequence Data: Do Existing Algorithms Outperform the Global Maximum Parsimony Approach?, Insa Cassens, Patrick Mardulyn, and Michel C. Milinkovitch, 363
Even-toed ungulates, 71
Event pairing, 230
Event-paired
  coherence, 234
  data, 239
Evidence for Multiple Reversals of Asymmetric Mutational Constraints during the Evolution of the Mitochondrial Genome of Metazoa, and Consequences for Phylogenetic Inferences, Alexandre Hassanin, Nelly Léger, and Jean Deutsch, 277
Evolution, 77, 513
Evolutionary Rates Analysis of Leguminosae Implicates a Rapid Diversification of Lineages during the Tertiary, Matt Lavin, Patrick S. Herendeen, and Martin F. Wojciechowski, 575
  rates of genes, 900
  DistR algorithm, 915
  DistR estimates comparison to Bayesian estimates, 904, 910
  DistR estimates comparison to ML estimates, 904, 908
  DistR estimates Inclusion into phylogenetic tree search of PHYML, 905, 912
  DistR method, 900
  empirical data, 904, 908
  experimental studies, 902, 903
  fast algorithm for least-squares estimation, 914
  mean squared error and goodness-of-fit, 913
  missing distances between taxa, 908
  patristic versus pairwise ML distances, 905, 912
  simulated data, 903, 905
  scenario, 865
Evolutionary
  ecology, 299
  histories, 146
  HMMs, 550
Exaceae, 21, 23, 25, 29
Exacum affine, 34
Exacum(Gentianaceae), 21
  ancestral area reconstruction, 26
  congruence test, 23
  dispersal-vicariance analysis, 29
  divergence dating and calibration, 25, 27, 29
  ingroup sampling and outgroup choice, 23
  molecular clock test, 25
  molecular methods, 23
  out-of-Madagascar dispersals, 30
  phylogenetic analysis, 23, 27
  phylogeny of Exacum, 29
  sequence alignment, 23
  sequence characteristics, 26
Exacum, 21–23, 25–32, 34
Exaum, 29
exclusive molecular phylodiversity, 936

exclusive molecular phylodiversity, 937
Exons, 38, 40, 51, 782
Exploring Rate Variation Among and Within Sites in a Densely Sampled Tree: Species Level Phylogenetics of North American Tiger Beetles (Genus Cicindela), Alfried P. Vogler, Anabela Cardoso, and Timothy G. Barraclough, 4
Eysenhardtia orthocarpa–Tipuana tipu, 581
F-test, 218–222, 225–227, 944, 945
F function, 219
Fabaceae, 441, 442, 446, 510, 575
Fagales, 592, 594
Fair-coin paradox, 462
Faith's uniqueness measure, 944
falciforme, 594
Fallisia, 861
farneslana–Mimosa speggazzinii, 584
hindsii, 593
hindsii–Inga punctata, 581
mahengense, 593
mahenge, 589
Fasciola hepatica, 655
Fast algorithm for least-squares estimation, 914
Fedrigo, Olivier, see Collins, Timothy M., 493–499
Felidae, 317, 323, 326–331, 333, 336, 730, 830, 865, 867, 868, 870, 871, 873, 875, 876, 879–881, 883
Felids, 326–329, 331, 883, 889, 890
Feliformia, 326, 328, 865
Felis, 326, 327, 329, 333
catus, 326, 336, 730
concolor, 336
pardalis, 324, 326, 329, 336
silvestris, 336
Lynx, 868
Felsenstein, 3, 25, 41, 59, 66, 69, 71, 74, 79, 80, 93, 134, 146, 177, 183, 192–195, 200, 218–222, 224–227, 244, 258, 269, 281, 293, 302–304, 320, 350, 373, 396, 402, 404, 405, 417, 418, 422, 445, 455, 464, 473–475, 483, 484, 501, 520, 521, 535, 541, 548, 551, 554, 548, 551, 554, 563, 566–568, 576, 620, 622, 629, 639, 656, 665, 673, 682, 687, 720, 731, 732, 737, 739–741, 743, 744, 750, 754, 759, 762, 772, 778, 781, 810, 811, 815, 900, 944, 948–951, 954, 959, 974, 976, 981, 982, 984, 986
ferruginea, 47
Fetzner, Jr., James W., see Wiens, John J., 778–807
Feylinia, 373, 375, 376, 382, 387
polylepis, 377
filiformis, 63
Fin parasites, 715
Fin whale, 78, 80, 84
Finarelli, John A., see Flynn, John J., 317–337
Fisher, 56, 179, 336, 345, 687, 986, 987
Fitch parsimony, 420
Fitch–Margoliash methods, 60, 218, 227
Fixed-fragmentation TKF2 model, 551
Flatworms, 710
flavigula, 325
flavus, 323
Flectonotu, 779
Fleissner, Roland, Metzler, Dirk and Haeseler, Arndt von, Simultaneous Statistical Multiple Alignment and Phylogeny Reconstruction, 548–561
Flipping, 242, 420, 835
Florometra, 277, 278, 280, 281, 283–286, 289, 292–294, 297, 298 279, 282
serratissima, 279, 655
Flowering plants, 183, 342, 441, 442, 697, 943
Flowers, 27, 30, 341, 587, 592, 593, 849, 965
Flynn, John J., Finarelli, John A., Zehr, Sarah, Hsu, Johnny and Nedbal, Michael A., Molecular Phylogeny of the Carnivora (Mammalia): Assessing the Impact of Increased Sampling on Resolving Enigmatic Relationships, 317–337
Fonseca, Mario, see Hibbett, David S., 660–667
Fontanillas, Eric, see Welch, John J., 672–677
Foraminifera, 174
Fordyce, R. Ewan, see Holland, Barbara R., 77–90
Forest coding scheme
with separately described trees, 156
with trees described by rearrangement, 156
Forest, 146, 148
Forskalia
asymmetrica, 922
edwardsi, 922
formosa, 922
tholoides, 922
Fossa, 328, 722, 867, 870, 871, 875, 879, 880, 881, 883
fossana, 723, 730
fossa, 337
muscularis major, 890
Fossa, Eupleres, 880, 881
Fossa, 865
Fossa, 880, 881
Fossa, 881
Fossil(s), 169–170, 731
constraints, 576
record, 174
Foster, Peter G., Modeling compositional heterogeneity, 17, 40, 74, 372, 388, 480, 499, 500, 743
frenata, 323
Freshwater fishes, 158
primary, 159
secondary, 159
Freshwater Fishes, Dispersal Ability, and Nonevidence: "Gondwana Life Rafts" to the Rescue, John S. Sparks and Wm. Leo Smith, 158
Freudenstein, John V., Characters, States, and Homology, 965–973
Friedman, Robert, see Hughes, Austin L., 268–276
frithi, 260
Fritschiella tuberosa, 939
Frogs phylogeny, hylid, 778, 779
12S data only (top-down approach), 794
combined analyses and evaluation of sampling strategies, 784
combined analysis-increased taxon sampling (combined approach), 790
combined molecular data, 786
combined morphology and DNA data–limited taxon sampling (bottom-up approach), 790
excluded data, 785
external morphology, 806
goals of study, 780
hylid phylogeny and taxonomy, 801
misleading morphological signals, 800
molecular data and analysis, 782
morphological data and analysis, 781, 786
overall sampling strategy, 780
rates of change, 800
sampling strategies for speciose clades, 795
statistical testing of alternate phylogenies, 784
support and incompleteness, 795
tadpole morphology, 807
Frozen tissues, 819
centralized versus noncentralized issue, 820
collection management, 821
collections overview, 819
cryogenic collection costs, 822
cryogenic versus ultracold freezers issue, 820
fruticosus, 301

fugax, 257
Funarius rufus, 602
Function f, 219
functional specialization, 916
Fungi, 174, 175, 198, 210, 441, 484, 660, 661, 665, 744, 745, 748–750, 752–754, 841, 936
  mushroom-forming, 660
Fusarium, 211
  oxysporum, 211
fuscus, 126
Fusobacterium, 270
  nucleatum, 276
Fusochloris perforatum, 939
Galidia, 868, 871, 873, 876, 883
  elegans (central), 336
  elegans (northern), 336
  elegans (southern), 336
  elegans, 327, 730, 878
  Galidictis, Mungotictis, Salanoia, 879
Galidictis, 883
  fasciata, 336, 730
Galleria, 279
g_1 statistic, 197
Galliformes, 566
gallinaceum, 861
Gallotia, Lacerta, Podarcis, Sphenodon, 571
Gallus gallus, 39, 392
Gap character, 444
Gasterosteus aculeatus, 711, 716
Gastrophryne, 781
Gastrosporium, 662
Gastrotheca, Hyla, Osteocephalus, Pseudacris, Scinax, 780
Gastrotheca, 779, 784, 786
Gastrozooids, 932
Gatesy, John and Baker, Richard H., Hidden Likelihood Support in Genomic Data: Can Forty-Five Wrongs Make a Right?, 483–492
Gaubert, Philippe, Wozencraft, W. Chris, Cordeiro-Estrela, Pedro and Veron, Géraldine, Mosaics of Convergences and Noise in Morphological Phylogenies: What's in a Viverrid-Like Carnivoran?, 865–894
gautuni, 729
Gegeneophis sp., 113
Gene arrangement. See also Mitochondrial gene arrangements
  ancestral bilaterian and gene order evolution, 654
  and phylogenetics, 656
Gene Family Content-Based Phylogeny of Prokaryotes: The Effect of Criteria for Inferring Homology, Austin L. Hughes, Vikram Ekollu, Robert Friedman, and John R. Rose, 268
  Gene Genealogies, Variation and Evolution: A Primer in Coalescent Theory, Julia Sigwart, 986
  loss, 268
  partitions (Lamiales case study), 703, 705
  tree parsimony, 421
Generalized frequency coding, 299
Generalized least-squares, 218
Genes, evolutionary rates, 900
Genetic distances (densely sampled trees), 5, 7
Genetics, 218, 363, 441, 508, 631, 682
Genetta abyssinica, 871
Genetta servalina, 337
Genetta, Viverra, 868
Genetta, 329
Genetta, 868, 870, 873
Gene
  content, 268
  duplication, 441
  families, 268
genome, 277
Genome-scale phylogenetics, 493
Genomic data, hidden likelihood support for, 483
  data, 484
  forty-five wrongs make a right?, 487
  forty-one rights are even more right in combination?, 487
  hidden signals in the combined ML analysis, 485
  likelihood support in combined analysis, 485
  parsimony support scores, 485
  phylogenetic analyses, 484
  stochastic models, 484, 485
Genomic data
  mitochondrial, 758
  nuclear, 758
Genomic DNA, 78, 79, 621, 638
Genomics and conservation, 819
Genotypes, 198, 212, 213, 444, 447, 514
Gentiana procera, 708
Gentiana-Nicotiana, 700
Gentianaceae, 21, 23, 25–30
Gentianales, 26, 28–30, 698
Gentiana, 26, 28, 30
Gentianella, 28, 30
Gentianothamnus madagascariensis, 34
Gentianothamnus, 23, 26–30
Genus Cicindela, 4
Geocholone pardalis, 613
Geodia neptuni, 651, 652, 655
Geogale, 725
Geography, 164, 338, 343
Geology, 77, 317, 337
Geometric morphometrics and multivariate theory of quantitative genetics (densely sampled trees), 4
Geometric morphometrics, 678, 679, 682, 684, 687
Geotrypetes seraphini, 113
gertschi, 279
Gesneriaceae, 697, 706, 708
Getting to the Roots of Matrix Representation, Olaf R. P. Bininda-Emonds, Robin M. D. Beck, and Andy Purvis, 668
Giardia, 409
  lamblia, 409
Gibbon, 559
Gibbs, George, Butterflies: Ecology and Evolution Taking Flight, 508–509
Giezen, Mark van der, see Brinkmann, Henner, 743–757
giganteus, 730
Gill parasites, 715
Giribet, Gonzalo, TNT: Tree Analysis Using New Technology, 176–178
Givnish, Thomas J., Bromeliaceae: Profile of an Adaptive Radiation, 340–344
glaber, 301
Gleditsia triacanthos, 592
Gleditsia, 593
Gliricidia maculata–Hebestigma cubense, 582
Gliricidia maculata–Sesbania vesicaria, 582
Gliricidia maculata–Xeroderris stuhlmannii, 582
Global
  biogeographic patterns of Calopterygoid Damselflies (Odonata, Zygoptera), 347
  clock, 725
  maximum parsimony, 363
Gloeococcus maximus, 939
Gloeophyllum, 662
Gloeotilopsis sarcinoidea, 938
Glomus, 755

Glor, Richard E., see Revell, Liam J., 973–983
glottochronology, 520
glottoclock, 520
glutinosa, 63
Glycine max, 441, 442, 446, 442, 447, 443
Glycine tabacina, 592, 593
Glycine-Glycine, 451
Glycine-Medicago, 451
Glycine, 441, 442, 446, 452, 453, 443, 453, 446, 452, 451
Glycyrrhiza glabra–Cicer arietinum, 584
Glyptodon reticulatus, 533
Glyptotherium, 533
Gnetales, 744
Gobies, 710
Gobiusculus flavescens, 711, 716
Goldman, 17, 68, 79, 121, 167, 184, 185, 192, 193, 201, 218, 373, 411, 432, 439, 455, 484, 746, 750, 761, 775, 784, 808–810, 920, 959, 975, 981–983
Golenkinia longispicula, 939
Gomphiocephalus, 281, 282
hodgsoni, 279
Gondwana life rafts, 158
Gondwana, 111, 123, 124, 158, 398, 21–23, 29–31
Gongrosira papuasica, 939
Gongylomorphus, 374, 376, 382, 387
bojeri, 378
Goniopholis lucasii, 533
Goodia lotifolia–Isotropis cuneifolia, 584
Goodness-of-fit, 913
Goodness-of-fittest, 9, 59–61, 63, 576, 669, 670, 809, 815, 903, 905, 907, 913
Gorilla gorilla, 135, 606
Gorilla, 137, 467, 606
Goto, Mutsuo, see Holland, Barbara R., 77–90
gracilis, 301
Graellsia isabellae, 257
Graellsia isabellae, 262
Graph theory, 363, 367
Graphs and statistical analyses comparison, 367
Gray, Russell D., see Atkinson, Quentin D., 513–526
see Martyn Kennedy, 620–633
Greedy algorithm, 527
Green algae (Chlorophyta), 936
Gregory, T. Ryan, see Hebert, Paul D. N., 852–859
Grimm's Law, 517
Guillardia theta, 744, 746, 745
Guillardia, 744
Gulo gulo, 323, 336
Gulo, 317, 325, 327, 328, 332, 333, 331
guthrieae, 301
Gymnocladus chinensis–Gleditsia triacanthos, 581
Gymnocladus dioica–Gleditsia triacanthos, 584
Gymnocladus, 593
Gymnopraia lapislazula, 922, 933
Gyrodactylus, 710–717, 715–717
gondae, 715
ostendicus, 713
Haber, Matthew H., On Probability and Systematics: Possibility, Probability, and Phylogenetic Inference, 831–840
Habroscelimorpha, 7, 13
Haddock, Steven H. D., see Dunn, Casey W., 895–914
Haematococcus zimbabwiensis, 939
Haematoxylum brasiletto, 593
Haemophilus influenzae, 276
Haemoproteus, 861, 863
Haemosporidia, 860
Haeseler, Arndt von, see Fleissner, Roland, 548–561
Hakaria simonyi, 378
Hakaria, 382, 387
Halanych, Kenneth M., see Struck, Torsten H., 927–946
Halichoerus grypus, 336
Halistemma rubrum, 918, 922, 931
Halistemma, 919
Halleria lucida, 708
Halobacterium, 276, 409
Halosphaera, 938
Hamilton, Healy, see Holland, Barbara R., 77–90
Hamming distance, 622, 623
Hapalemur simus, 729
Haplotype, 38, 40–42, 47, 49, 50, 53, 54, 364, 365, 955
Hardy, Christopher R. and Linder, H. Peter, Intraspecific Variability and Timing in Ancestral Ecology Reconstruction: A Test Case from the Cape Flora, 299–316
Harmon, Luke J., see Revell, Liam J., 973–983
see Weisrock, David W., 758–777
Harris, David J., see Wortley, Alexandra H., 697–709
Harris, Simon R., see Wilkinson, Mark, 419–431
Hasegawa, Masami, see Holland, Barbara R., 77–90
Hassanin, Alexandre, Léger, Nelly and Deutsch, Jean, Evidence for Multiple Reversals of Asymmetric Mutational Constraints during the Evolution of the Mitochondrial Genome of Metazoa, and Consequences for Phylogenetic Inferences, 277–298
Hastings Ratio of the LOCAL Proposal Used in Bayesian Phylogenetics, Mark T. Holder, Paul O. Lewis, David L. Swofford, and Bret Larget, 961–965
Haussler, David, see Lucena, Brian, 693–695
Havell, David, see Winkworth, Richard C., 56–65
Hawaii, 634, 647, 861, 916, 952, 959
Hawkmoths, 508
Hazenia mirabilis, 938
Heath, Tracy A., see Hillis, David M., 471–482
Hebert, Paul D. N. and Gregory, T. Ryan, The Promise of DNA Barcoding for Taxonomy, 852–859
Hel-arctos, 327
Helarctos malayanus, 336
helferi, 260
Heliaster, 279
Helicobacter pylori, 276
Heliconius, 508
Heliocharis amazona, 349
Helodermatidae, 596
Heloderma, 545
Helogale, 327, 328
parvula, 336
Hemicentetes semispinosus, 723, 730
Hemichordata, 278–280, 653–655
Hemichordates, 651, 656, 675
Hemigalinae, 873
Hemigalus, 871
derbyanus, 337
Hemileuca, 279
Hemimeris sabulosa, 708
Hemiphractus, 779, 786
Hemiptera, 279
Herbivores, 341, 610
Herbstii, 122
Herendeen, Patrick S., see Lavin, Matt, 575–594
Herpes cophylogeny, 138
Herpes, 127
Herpestes, 889
edwardsii, 336
javanicus, 336
Mungos, 868

Herpestidae, 317, 323, 326–329, 331–333, 336, 730, 865, 867, 868, 870, 871, 873, 875, 876, 879–881, 883
Herpesviridae, 127
Herpetology, 373, 607
Hetaerina, 353, 359
americana, 349
medinai, 349
titia, 349
Hetaerinid, 347
Heteragrion mitratum, 350, 357
Heterochlamydomonas inaequalis, 939
Heterochrony, 91, 230, 266
Heterochrony identification, 230
Heteroclada, 212
Heterodontosaurus tucki, 602
Heterodoxus, 279–283, 285, 287–290, 291–294, 297, 298
macropus, 279
Heterogeneous model, 476, 477
Heteronetta, 36, 46, 47
heteroposy, 265
Heterotachy, 4
Heterozygotes, 198
Heuristics, 147, 233, 234, 239, 548, 560, 548, 560, 910
Hexapoda, 277, 278, 286, 290, 294
Hexapods origin, 72
Hexapods origins, consensus networks to, 66
Hexapods, 66
hexon, 135
Hibbett, David S., Nilsson, R. Henrik, Snyder, Marc, Fonseca, Mario, Costanzo, Janine and Shonfeld, Moran, Automated Phylogenetic Taxonomy: An Example in the Homobasidiomycetes (Mushroom-Forming Fungi), 660–667
Hidden Likelihood Support in Genomic Data: Can Forty-Five Wrongs Make a Right?, John Gatesy and Richard H. Baker, 483
Hidden support, 15, 483–485, 487, 490, 491
Hierarchical likelihood ratio test, 474, 721
Hill, Robert V., Integration of Morphological Data Sets for Phylogenetic Analysis of Amniota: The Importance of Integumentary Characters and Increased Taxonomic Sampling, 530–547
hillebrandii, 63
Hillis, David M., Heath, Tracy A. and John, Katherine St., Analysis and Visualization of Tree Space, 471–482
Hippopodius + *Vogtia*, 932
Hippopodius hippopus, 917, 922, 926
Hippopodius, 926
Hippopotamus, 80, 81
Hippos, 727
hirsuta, 63
Histogram, 415, 446, 451, 458, 686, 898, 905, 930
Historian, 832, 833
Historical Biogeography: An Introduction, Jonathan M. Waters, 338
Historical linguistics, 513
HIV-1 organ compartmentalization, 226
Hodkinson, Trevor R., see Salamin, Nicolas, 183–196
Holder, Mark T., Lewis, Paul O., Swofford, David L. and Larget, Bret, Hastings Ratio of the LOCAL Proposal Used in Bayesian Phylogenetics, 961–965
Holder, Mark T., see Lewis, Paul O., 241–253
Holland, Barbara R., Delsuc, Frédéric and Moulton, Vincent, Visualizing Conflicting Evolutionary Hypotheses in Large Collections of Trees: Using Consensus Networks to Study the Origins of Placentals and Hexapods, 66–76
Holland, Barbara R., see Martyn Kennedy, 620–633
Holland, Brenden S., see Rubinoff, Daniel, 952–961
Holman, Eric W., Nodes in Phylogenetic Trees: The Relation Between Imbalance and Number of Descendent Species, 895–899
Holocalyx balansae–Uribea tamarindoides, 581
Holocerina smilax, 257
Holsinger, Kent E., see Lewis, Paul O., 241–253
Hominoid, 560
Homo sapiens, 135, 392, 409, 606, 655, 729
Homobasidiomycetes, 660, 661
automated phylogenetic taxonomy of, 661, 665
current status of homobasidiomycete systematics, 660
progress in phylogenetic reconstruction, 660
Homogeneous model, 477
Homologous characters, 515, 710
Homology, 268, 965–970, 972, 973, 985, 986
Homoplastic characters, 4, 14, 15, 168, 801, 875
homoplasy weighting, 4
Homoplasy, 4, 12, 14–16, 35–37, 43, 46, 49–51, 111, 114, 117, 118, 147, 148, 150, 153, 157, 168, 169, 171, 175, 198, 200, 252, 268, 272, 285, 318, 319, 328, 332, 386, 420, 432, 483, 490, 537, 542, 605, 606, 608, 671, 697, 775, 800, 824, 865, 867, 868, 870, 875, 883, 932, 942, 953–955, 969–973
Crown-group frogs, 117
effect and nodal support (densely sampled trees), 15
Homo, 279, 319, 751
Honey bees, 644
Honeycreepers, 610, 634
hordei, 211
Hordeum, 212, 213
Horizontal gene transfer (HGT), 268
Hormotila blennista, 939
Hormotilopsis gelatinosa, 939
horridus, 610, 611
Horseshoe crabs, 277
Host and parasite phylogenies, 710
coevolution aspects, 712, 715
comparison of ITS 1 variation between host and parasite, 712
fin parasites, 715
future perspectives, 717
host and parasite data, 711
host-specific and monophyletic gill parasites, 715
parafit phylogenetic analyses, 713
phylogeny reconstruction, 711
sympatric speciation, 716
tentative timing of events, 716
testing for cospeciation, 711
treefitter phylogenetic analyses, 712
TreeMap 1.0 phylogenetic analyses, 713
TreeMap 2.0β phylogenetic analyses, 713
Host-parasite interactions, 710
Host-switching, 710
How Much Data are Needed to Resolve a Difficult Phylogeny? Case Study in Lamiales, Alexandra H. Wortley, Paula J. Rudall, David J. Harris, and Robert W. Scotland, 697
HSP70, 745
Hsu, Johnny, see Flynn, John J., 317–337
Huayangosaurus, 545
Hughes, Austin L., Ekollu, Vikram, Friedman, Robert and Rose, John R., Gene Family Content-Based Phylogeny of Prokaryotes: The Effect of Criteria for Inferring Homology, 268–276
Human, 1, 37, 115, 127, 129, 135, 137–139, 141–143, 161, 180, 181, 181, 218, 220, 226, 339, 346, 467, 480, 508, 514, 520, 521, 523, 720, 761, 822, 845, 850, 856, 860, 861, 919, 958–961, 965, 982, 983, 986, 987
humilis, 63
Huyse, Tine and Volckaert, Filip A. M., Comparing Host and Parasite Phylogenies: Gyrodactylus Flatworms Jumping from Goby to Goby, 710–718

Hyaena, Proteles, 868
Hyaena, 871
Hyaenidae, 317, 323, 326, 329, 333, 337, 730, 865, 868, 871, 873, 876, 879, 883
Hyalinobatrachium, 787, 789
Hyalin, 787
Hyalophora cecropia, 257
Hyalophora cecropia, 262, 265, 265
Hybridization, 35, 37, 42, 47, 49, 56, 62, 146, 210, 213, 219, 259, 261, 262, 348, 513, 523, 631, 697, 710, 712, 849, 855, 857, 953–956, 959
Hydra, 919, 920
Hydrodictyon reticulatum, 939
Hydrozoa, 916
Hyla: albomarginata, bogotensis, albopunctata, armata, boans, circumdata, geographica, granosa, larinopgyion, polytaenia, pulchella, 802
Hyla, 790, 795, 778, 779, 780, 781, 786, 789, 790, 798, 801, 802, 803
  arborea, godmani, pictipes, pseudopuma, 802
  arborea, 802
  bistincta, sumichrasti, 802
  bogotensis, 785
  chinensis, 392
  meridionalis, 113
  nana, 807
  pulchrilineata, 802
Hylid Frog Phylogeny and Sampling Strategies for Speciose Clades, John J. Wiens, James W. Fetzner, Jr., Christopher L. Parkinson, and Tod W. Reeder, 778
Hylid frogs, 778
Hylomantis, 779
Hymenaea, 592
  courbaril–Prioria copaifera, 581
  courbaril–Tessmannia lescrauwaetii, 581
  courbaril–Vicia sativa, 581
  courbaril, 592
  mexicana, 592
  protera, 592
  verrucosa, 592
Hymenochaete, 662
Hymenochirus, 116
  boettgeri, 113
Hymenogaster, 662
Hymenolobium mesoamericanum–Andria galeottiana, 581
Hynobius, 120, 774
  formosanus, 113
  leechii, 760
  nebulosus, 760
Hypocalyptus coluteoides–Aotus ericoides, 582
Hypogastrura, 279
Hypogeomys antimena, 729
Hypogeomys, 719
Hypomyces, 211
Hypotheses testing
  green algae (Chlorophyta), 945
  siphonophora (Cnidaria), 920, 921
Hypothesis test, 467
Hypothesis testing, 158, 184, 373, 380, 466, 849, 850, 868, 975, 976, 981
Hypsilophodon foxii, 602
Hystricognathi, 729
Ichthyology, 158, 181, 373, 864
Ichthyophis bannanicus, 392, 393
Ictonyx, 325–327, 329, 332
  striatus, 336
Iguanas, 162
imbalance, 895
Imbrasia cytherea, 257
Incomplete taxa, 329, 330, 333, 731–733, 735–741, 745, 749, 779, 780, 785, 790, 792, 794, 798–800, 807
Incompleteness effects (Taxa rescue phylogenetic analyses and long-branch attraction), 732, 737
Inconsistency, 170, 439, 631, 676, 677, 680, 743, 751, 754, 951, 954
Incorrect model, 439, 815
Indels, 23, 26, 40–42, 72, 257, 258, 401–404, 406, 407, 410, 413–416, 418, 444, 560, 560, 671, 711, 951
  history, 551
  models, 401
Independent and identically distributed (IID), 522
Index of Haversian remodeling, 565
Indian Ocean Basin, 21
Indigofera, 510
Information theory, 146, 151
information, 146
Informative characters, 15, 43, 44, 49, 136, 192, 269, 270, 300, 494, 705, 737, 762, 772, 800, 954
Inga
  punctata, 593
  punctata–Calliandra californica, 581
  punctata–Cercidium floridum, 581
  punctata–Pentaclethra macroloba, 581
Ingroup, 5, 9–14, 26, 29, 42, 60, 112, 114–116, 118, 119, 184, 199, 203, 212, 258, 278, 317–322, 324, 325, 327–332, 347, 350, 376, 393, 494, 499, 500, 530–532, 537, 541, 544, 598, 603, 609, 612, 620, 638, 640, 669, 671, 674, 676, 713, 725, 727, 743, 745, 751, 753, 759, 762, 763, 778, 782, 868, 871, 883, 949
Inparalog, 966
Input orders and event-pair coherence, 234
Input tree shape
  causes of, 426
  the effect of, 422
Insecta, 254, 278, 279, 284–286, 290, 294, 655
Insects, 5, 16, 72, 74, 277, 281, 339, 441, 514, 575, 691, 857, 931
Integration of Morphological Data Sets for Phylogenetic Analysis of Amniota: The Importance of Integumentary Characters and Increased Taxonomic Sampling, Robert V. Hill, 530
integrative taxonomy, 844–845
Integument, 530
Integumentary characters, 530
Internal
  fertilization, 758
  transcribed spacer (ITS) sequences, 197
  transcribed spacers, 347
Intraspecific genealogy, 363
Intraspecific Variability and Timing in Ancestral Ecology Reconstruction: A Test Case from the Cape Flora, Christopher R. Hardy and H. Peter Linder, 299
Introns, 38, 40, 41, 44, 45, 49, 51, 277, 409, 510
Invertebrates, 293, 644, 646, 647, 689, 857
Ipomoea, 212
IRBP, 317, 318, 321, 324, 330–332, 336, 337, 474, 482, 723, 725, 868, 869
Iridictyon, 347, 353, 359
Irreversible MRP, 420
Is Homoplasy or Lineage Sorting the Source of Incongruent mtDNA and Nuclear Gene Trees in the Stiff-Tailed Ducks (*Nomonyx-Oxyura*)?, Kevin G. McCracken and Michael D. Sorenson, 35
Ischnochiton, 279
Ischnocnema, 786
Ischnocnema, 801
Island colonization, 719
Isolation index, 58
ITS, 1, 2, 5, 6, 12, 21–23, 26, 27, 29–31, 35, 49, 56, 58, 64, 67, 68, 78, 84, 85, 87, 94, 111, 114, 121, 123, 124, 129, 135, 137, 138, 141–143, 146–148, 152, 153, 155, 156, 164, 170, 174, 176, 177, 179–181, 180, 181, 185–187, 193, 194, 197, 200, 218, 220, 224, 233–236, 245, 248, 252, 254–256, 262, 265, 266, 275, 277, 284, 285, 291, 304, 305, 309,

312, 319, 324, 328, 330, 338, 341, 345, 346, 347, 350, 359, 360, 363, 367, 376, 385, 387, 388, 392, 393, 403, 405, 406, 408, 410–415, 417, 419, 420, 426, 427, 430, 441, 442, 444, 446, 453, 456, 460, 469, 474, 480, 501–505, 507, 510, 511, 514, 515, 517, 519, 527, 529, 531, 532, 539, 542, 543, 545, 549, 552–554, 549, 552–554, 562, 565, 566, 571, 572, 584, 595, 596, 598, 599, 602–608, 610, 612, 614–617, 622, 624, 640, 643, 646, 647, 651, 653, 656, 660, 661, 665, 667, 670, 673–676, 679, 681, 684, 685, 690, 695, 698, 710, 715–717, 719–721, 725, 733, 750, 762, 771, 773, 778, 785, 795, 808, 809, 811, 815, 820–822, 827, 829, 830, 836–838, 841, 842, 845–851, 852–854, 856–859, 852, 863, 867, 875, 879, 883, 896–898, 931, 932, 935, 945
Ixodes, 279, 282, 297, 298
hexagonus, 279
Jaapia, 662
argillacea, 661
Jacaranda sparrei, 708
Jackson, Andrew P., The Effect of Paralogous Lineages on the Application of Reconciliation Analysis by Cophylogeny Mapping, 127–145
jamaicensis, 47
Janetaescincus braueri, 378
Janetaescincus, 374, 376, 382, 387
javanensis, 318
Jeffery, Jonathan E., Bininda-Emonds, Olaf R. P., Coates, Michael I. and Richardson, Michael K., A New Technique for Identifying Sequence Heterochrony, 230–240
John, Katherine St., see Hillis, David M., 471–482
Joint Bayesian Estimation of Alignment and Phylogeny, Benjamin D. Redelings and Marc A. Suchard, 401
Jonckheere, Johan F. De, see Dumont, Henri J., 347–362
Jong, Wilfried W. de, see Poux, Céline, 719–730
Jovellana sp., 708
jubatus, 329
k-compatible, 67, 76
K80 model, 975, 976, 978
Kaloula pulchra, 392
Kanda, Naohisa, see Holland, Barbara R., 77–90
kapu, 513
Karaurus, Laccotriton, Sinerpeton, Valdotriton, 93
karooica, 301
karpinskii, 533
Katharina tunicata, 654, 655, 279
Katharina, 277, 278–279, 281–285, 287, 289, 292–294, 297–298
Kato, Hidehiro, see Holland, Barbara R., 77–90
kauai, 955
Kayentachelys, 544, 614
Kentrosaurus, 545
Kigelia africana, 708
Kishino–Hasegawa test, 201, 218
Klackenberg, Jens, see Yuan, Yong-Ming, 21–34
Klebsormidium flaccidum, 938
Klingenberg, Christian Peter and Monteiro, Leandro R., Distances and Directions in Multidimensional Shape Spaces: Implications for Morphometric Applications, 678–688
knudsenii, 63
Koliella spiculiformis, 939
Koliella, 940
Kolmogorov complexity, 146
Kolmogorov–Smirnov test, 567
Koopman, Wim J. M., Phylogenetic Signal in AFLP Data Sets, 197–217
Küpfer, Philippe, see Yuan, Yong-Ming, 21–34
Lacertidae, 376
Lactobacillus plantarum, 276
Lactococcus lactis, 276
Lactuca, 197, 198, 201–204, 207–210, 213
sativa, 198, 202
Lactucopsis, 203, 207
Lagomorpha, 729
Lama pacos, 730
Lama, 730
Lamiaceae, 697, 706, 708
Lamiales case study, 697
comparison of resulting phylogenies, 700
effect of adding matk, 703, 705
effect of combining gene partitions, 703, 705
effect of sequence length and substitution rate, 704
effect of substitution rate, 701
molecular data, 700
molecular sequence length effect, 700
molecular sequencing, 698
optimum conditions for phylogeny reconstruction, 704
phylogenetic analysis, 700
phylogeny, 705
sequence simulation, 699
simulation, 698
starting phylogenies, 698
taxon sampling, 698
Lamiales, 697–701, 704–706, 708
Laminaria, 745
Lamium purpureum, 708
Lang, B. Franz, see Bevan, Rachel B., 900–915
Lang, B. Franz, see Lavrov, Dennis V., 651–659
Langley–Fitch method, 577, 583, 585
Lapointe, Francois-Joseph, see Wilkinson, Mark, 419–431
Laqueus rubellus, 655
Larget, Bret, see Holder, Mark T., 961–965
larinopygion, 802
Larix, 212
Larson, Allan, see Weisrock, David W., 758–777
Larvae, 91, 94, 98, 101, 110, 122, 509, 634, 635, 646, 647, 854, 928
Larval characters, 785, 926
Lasiocampa quercus, 256
Laupala, 955, 956
Lauraceae, 860
Lauraceae
Endlicheria, 860
Rhodostemonodaphne, 860
Laurales, 706
Laurin, M., see Cubo, J., 562–574
Lavin, Matt, Herendeen, Patrick S. and Wojciechowski, Martin F., Evolutionary Rates Analysis of Leguminosae Implicates a Rapid Diversification of Lineages during the Tertiary, 575–594
Lavrov, Dennis V. and Lang, B. Franz, Poriferan mtDNA and Animal Phylogeny Based on Mitochondrial Gene Arrangements, 651–659
Least squares estimation, fast algorithm for, 914
Least squares likelihood ratio test for branch testing, 218
Least squares optimization
of branch lengths, 56
splits graphs and, 59
Least squares, 56
Legumes, 441, 510, 575, 589
phylogeny and genome evolution, 442
systematics, 510
using 39 gene families, 441
Leguminosae, 510, 511, 575, 584, 589, 592, 594
Leguminosae, evolutionary rate analysis of, 575
comparisons of substitution rates estimated for matK and rbcL Loci, 577
DNA sequence data, 576
effects of varying the age of the root node, 582
estimated ages of old legume crown clades, 582

evolutionary rates analysis, 576
fossil constraints, 576
fossil record of fabales other than, 594
nucleotide substitution estimates for matK locus, 577
nucleotide substitution estimates for rbcL locus, 577
rate-smoothing parameters, 576
taxon sampling, 576
Leiopelma, 111, 112, 116, 120–122, 124, 398
archeyi, 113
hochstetteri, 113
leiophylla, 63
Leishmania major, 746, 752
Lemur catta, 723, 729
Lemuridae, 729
Lemuriform, 721
Lemurs, 509, 719, 721–723, 725, 727
Lensia conoidea, 922, 928
Lens, 453
leonina, 332
leo, 326
Lepidoptera, 254, 279, 281, 288, 509
Lepidosaurs, 531, 542–544, 569
Lepilemur edwardsi, 729
Leporidae, 722, 729
Leptidea sinapis, 509
Leptobrachium montanum, 113
Leptolalax arayai, 113
Leptopelis kivuensis, 113
Lepus, 604
crawshayi, 729
europaeus, 604
Lethiscus stocki, 120
Lethiscus, 115
leucocephala, 45
Leucocytozoon, 861–863
leucophyllata, 789
Leucopteryx" hetaerinoides, 360
Levasseur, Claudine, see Wilkinson, Mark, 419–431
levynsiae, 301
Lewis, Louise A. and Lewis, Paul O., Unearthing the Molecular Phylodiversity of Desert Soil Green Algae (Chlorophyta), 915–926
Lewis, Paul O., Holder, Mark T. and Holsinger, Kent E., Polytomies and Bayesian Phylogenetic Inference, 241–253
Lewis, Paul O., see Holder, Mark T., 961–965
Lewis, Paul O., see Lewis, Louise A., 915–926
Liberiictis kuhni, 337
Liberiictis, 327, 328
Lice, 2, 715
Lichens, 936
Ligustrum, 706
vulgare, 708
Likelihood support in
combined analysis, 485
genomic data, hidden, 483
Likelihood-based character change for mtDNA data (Salamanders), 772
Limnodynastes salmini, 113
Limnogale, 719, 722
mergulus, 730
Limulus, 279, 282, 285, 289, 297–298
polyphemus, 279, 655
Lindenbergia
philippensis, 708
-Bartsia, 700
-Proboscidea, 700
Linder, H. Peter, see Hardy, Christopher R., 299–316
Lindley's paradox, 455, 466–468
Lineage sorting, 35
Linear model, 305, 568
Linear parsimony, 304
linearis, 63
Linearized tree, 640
Linguistics, historical, 513
Lisianthius, 23, 26, 28, 30
Lissamphibian origin, 397
Lissamphibians, 115, 175, 391, 396–398, 563
Listeria
innocua, 276
monocytogenes, 276
Litheupaea carpenteri, 351
Lithobius, 279, 282, 297, 298
forficatus, 279
lithographica, 611
Litoria, 779, 789, 803
aurea, 789
Liu, Yi-Fei, see Zhang, Peng, 391–400
Lizards, scincid, 373
Llanocetus denticrenatus, 80
Lobochlamys
culleus, 939
segnis, 939
Loci versus individuals
Lockhart, Peter and Steel, Mike, A Tale of Two Processes, 948–951
Lockhart, Peter J., see Winkworth, Richard C., 56–65
Locusta, 279, 281–283, 288, 297, 298
migratoria, 279
Loepa katinka, 257
Loepa katinka, 262
Loligo pealei, 279
Loligo, 279, 282, 284, 285, 287, 288, 289, 297, 298
bleekeri, 279, 655
deep eukaryotic phylogenomics, 743
Taxa rescue phylogenetic analyses and, 731
Long branch, 114, 183, 193, 198, 286–288, 290, 293, 373, 445, 620, 622, 631, 656, 694, 731, 732, 743, 812, 948, 949
Long branches, untangling, 620
phylogenetic analyses, 621
sequence data, 621
Long distance dispersal and extensive radiation, 21
Long-branch attraction artifact, 277
Long-branch attraction, 103, 146, 150, 169, 193, 277, 278, 285, 293, 331, 620, 621, 628, 631, 731–734, 737, 739, 743, 759, 775, 778, 815, 904, 925, 926, 949–951
longidactylus, 716
longistigma, 349
Lonomia achelous, 257
Lontra
canadensis, 323, 336
longicaudis, 336
Lophophorates, 651
Lophotrochozoa, 280, 286, 288, 651–653, 656, 675
Loridae, 729
Lotus, 510
lsurface, 921
Lucena, Brian and Haussler, David, Counterexample to a Claim About the Reconstruction of Ancestral Character States, 693–695
lucens, 301
Luehdorfia, 348
Lumbricus, 279, 282, 297, 298
terrestris, 279, 655

lunatum, 594
lupus, 323
lutea, 593
Lutrinae, 317, 323, 326, 328, 331–333
Lycaenidae, 509
Lychnagalma vesicularia, 935
Lygosoma fernandi, 377
Lygosominae, 386
Lymphocryptovirus, 129
Lynx, 323
  rufus, 329, 336
Lysapsus, 779, 789, 789
  Pseudis, 780
Léger, Nelly, see Hassanin, Alexandre, 277–298
Maackia, 594
Maastrichtian, 592
Macaca fascicularis, 135, 137
Macaca, 141
Macaque, 137
maccoa, 45
Machaerium, 594
  falciforme–Aeschynomene purpusii, 581
  falciforme, 577
  lunatum, 577
Macrocarpaea, 30
macrocephalum, 63
macroecology, 299
Macrogalidia, 873
  musschenbroekii, 871
Macroleter, 533, 541
  poezicus, 533
Macropus, 730
  rufus, 730
Macrotarsomys, 719
  ingens, 729
Madagascar, 719
  assessing relationships of, 721
  biogeographic scenarios, 727
  molecular dating, 720
  origins and radiations of, 722
  phylogenetic analyses, 720
  sampling, DNA amplification, and sequencing, 720
Madia bolanderi, 62
Madia madioides, 62
Madsen, Ole, see Poux, Céline, 719–730
Mahajangasuchus insignis, 533
Mahalanobis distance, 685, 687
Malacostraca, 277, 279, 294
Malagasy scincines, 387
Malpighiales, 706
Malvales, 442
Mammalia, 317, 392, 533, 534, 866
Mammalian phylogeny, 720
Mammals phylogeny, placental, 68
Mammals, 3, 32, 77, 120, 129, 135, 138, 141–143, 237, 239, 277, 291, 392, 293, 473, 484, 514, 537, 563, 575, 610, 671, 675, 719–722, 724, 725, 727, 731, 744, 862, 865, 881, 888
managuae, 382, 387
Mandible, 805, 887–889
Mandibulata, 278
Mandrillus sphinx, 135
Manduca sexta, 257
Manis, Elephas, Loxodonta, Equus, Bos, Sus, 319
Mantoniella squamata, 938
mapping, 127
Maraniona lavinii, 594
Maraniona, 594
Marchantia polymorpha, 938
marchei, 319
Mardulyn, Patrick, see Cassens, Insa, 363–372
Margerie, E. de, see Cubo, J., 562–574
Marine, 88, 218, 634, 647, 916
maritima, 13, 18
Markov, 41, 66, 68, 94, 113, 115, 218, 241, 244, 247, 280, 281, 322, 350, 374, 376, 393, 401, 403–406, 455, 462, 471, 474, 476, 477, 501, 549, 576, 622, 639, 640, 663, 711, 720, 721, 761, 782, 809, 810, 817, 839, 895–898, 932, 940, 942, 949, 961, 965
Marquard, Elisabeth, see Poux, Céline, 719–730
Marsupials, 71, 72, 237, 719, 744, 867
Martes, 317, 323, 325, 327–328, 332–333
  americana, 336
  flavigula, 336
  pennanti, 325
  pennanti, 331, 325, 336
Martin's measures, 944
Martyn Kennedy, Holland, Barbara R., Gray, Russell D. and Spencer, Hamish G., Untangling Long Branches: Identifying Conflicting Phylogenetic Signals Using Spectral Analysis, Neighbor-Net, and Consensus Networks, 620–633
Martynia, 698
  annua, 708
Marvania geminata, 939
Mastadenovirus, 127, 135, 138, 140, 142, 143
Mastigoproctus, 280, 282
  giganteus, 278, 279
Matrix encoding (phylogenetic compression), 155
Matrix representation, 668
  eutherian mammals, 671
  rooted source trees and supertree analysis, 669
  unrooted source trees, 670, 671
Matrona basilaris, 349
Matrona cyanoptera, 349
Matrona nigripectus, 349
Matrona-Atrocalopteryx-Archineura, 360
Matrona, 351, 360
Matronoides cyaneipennis, 349
Maxillopoda, 277–279
Maximum likelihood (ML), 218, 483, 719, 808, 838
  branch testing in phylogenetics, 219
  cladogenesis patterns in venomous marine gastropod genus Conus, 639
  evolutionary rates of genes, 900
  hidden signals in the combined, 485
Maximum parsimony (MP) analyses
  Carnivora (mammalia), 320
  cladogenesis patterns in venomous marine gastropod genus Conus, 639
  Maximum parsimony, 183, 363
McCracken, Kevin G. and Sorenson, Michael D., Is Homoplasy or Lineage Sorting the Source of Incongruent mtDNA and Nuclear Gene Trees in the Stiff-Tailed Ducks (*Nomonyx-Oxyura*)?, 35–55
Mcinerney, James O., see Wilkinson, Mark, 419–431
MCMC analysis
  bayesian, 244
  conventional , 247, 251
  reversible-jump, 244, 250
MCMC, 401
MDS for tree space visualization
  potential limitations of, 478
  some other potential uses of, 477
Mean squared error and goodness-of-fit, 913
Measuring Support and Finding Unsupported Relationships in Supertrees, Mark Wilkinson, Davide Pisani, James A. Cotton, and Ian Corfe, 823

Median
networks, 66–67
-joining, 363
Medicago, 443, 446, 451, 452, 453
truncatula, 441, 442, 444
truncatula, 443
Megalosaurus, 598
Megaptera, 77, 84, 86, 87
novaeangliae, 79
Megophryidae, 113
melanoma, 802
Melanophryniscus, 795
Melanoseps, 374, 375, 376, 382, 387
occidentalis, 378
Meles meles, 325
Meles, 325, 332
Melinae, 325
Melinda, 279, 288
Melitaea cinxia, 509
Melogale moschata, 325
Melogale, 325, 332
Melolontha melolontha, 843
Mephitinae, 325
Mephitis, 323
mephitis, 336
Meristogenys kinabaluensis, 113
Mertensiella luschani, 392
Mesocricetus auratus, 729
Mesonephrotus, 711
Mesophryne beipiaoensis, 123
Mesophryne, 111
Mesorhizobium loti, 276
Mesoscincus, 375, 388
Mesostigma viride, 938
Mesotaenium kramstai, 938
Mesozoic, 21, 111, 122, 158, 161, 360, 398
Metazoa, 277, 279, 291, 293, 409, 655, 656, 748, 904
evolution, 277
ancestral mitochondrial genome organizations, 280, 284
arthropods phylogeny, 294
evidence for long-branch attraction artifacts, 285
exclusion of taxa with reversed asymmetric mutational constraints, 287
global reversals of asymmetric mutational constraints, 292
nucleotide composition and mitochondrial gene order organization, 285
nucleotide composition at synonymous third codon positions, 281
nucleotide composition for mtDNA sequences, 278, 281
phylogenetic analyses, 280, 285
phylogenetic inferences and reversals of asymmetry in mtDNA, 293
reverse strand bias detection at nonsynonymous positions, 283
strand asymmetry, 284, 292, 293
strand bias reversals, 281, 289
strand compositional bias, 281, 291
strand-specific compositional bias, 290
taxonomic sampling and DNA alignments, 278
Metazoans, 169, 277, 285, 291, 292, 294, 672, 674
Metazoan phylogeny, 651
Methanobacterium thermoautotrophicum, 276
Methanococcus
jannaschii, 276
vannelli, 409
Methanopyrus kandleri, 276
Methanosarcina
acetivorans, 276
mazei, 276
Metropolis-coupled MCMC, 281, 939
Metzler, Dirk, see Fleissner, Roland, 548–561
Mezoneuron, 593
Micractinium pusillum, 939
microbiotic crusts, 936
Microcebus murinus, 730
microcephala (H. microcephala), nana (H. nana), 789
Microgale, 720, 722
brevicaudata, 730
Microhyla heymonsi, 392
Microhylidae, 113
micropodia, 399
Micropotamogale, 722
lamottei, 730
Micropsi, 712, 714–716
Microraptor, 607, 612
Microsaurs, 396, 398
Microsporidia, 743
Microsporidial and nucleomorph proteins, 747
Microsporum, 211
Microthamnion kuetzingianum, 939
Microthylax, 7, 12
miliaria, 802
Milinkovitch, Michel C., see Cassens, Insa, 363–372
Millipedes, 277
Mimicry, 508
Mimosa speggazzini, 593
Mimosa, 577
Mimosoideae, 510, 511, 589
Mimulus aurantiacus, 708
Mimulus, 212, 706
Minimum spanning, 363
Minimum-spanning network, 366
Minnow, 716
minutus, 863
miotympanum, 802
Mirounga, 332
Miscanthus, 198, 212
Mishler, Brent D., see Will, Kipling W., 844–851
Missing data, 11, 41, 43, 94, 134, 147, 153, 157, 170, 259, 317, 322, 324, 327, 329, 330, 333, 334, 356, 392, 405, 530, 532, 535, 604, 608, 639, 670, 700, 711, 731–735, 737, 740, 741, 745, 746, 749, 759, 770, 778–780, 785, 786, 792, 794, 795, 798–800, 871, 878, 901, 920
Missing the Forest for the Trees: Phylogenetic Compression and Its Implications for Inferring Complex Evolutionary Histories, Cécile Ané and Michael J. Sanderson, 146
Mississippian, 396
Mitochondria, 277
Mitochondrial DNA (Salamanders)
phylogeny, 766
simulations, 762, 769
mitochondrial DNA, 77, 651, 758
Mitochondrial gene arrangements, 651
and animal phylogeny, 656
demosponges, 653
Mitochondrial genome, 391
Mitochondrial genomic data, 758
Mitochondrial Phylogenetics and Evolution of Mysticete Whales, Takeshi Sasaki, Masato Nikaido, Healy Hamilton, Mutsuo Goto, Hidehiro Kato, Naohisa Kanda, Luis A. Pastene, Ying Cao, R. Ewan Fordyce, Masami Hasegawa, and Norihiro Okada, 77
Mitogenomic Perspectives on the Origin and Phylogeny of Living Amphibians, Peng Zhang, Hui Zhou, Yue-Qin Chen, Yi-Fei Liu, and Liang-Hu Qu, 391
Mitter, Charles, see Regier, Jerome C., 254–267

Mixed models, 41, 43, 44
mixed-model analyses, 373
ML bootstrapping, 247
Mnais, 360, 361
andersoni, 349
mneme, 349
pruinosa, 349
tenuis, 349
yunosukei, 349
Model
determination
Scincid lizards, 376
encoding (phylogenetic compression), 156
selection, 95, 152, 153, 157, 243, 258, 350, 380, 392, 455, 465–467, 784, 815, 920, 925, 951, 953–955, 963, 981, 987
Models of evolution, 373, 374, 379, 388, 474, 523, 735, 837, 865
Molecular Dates for the "Cambrian Explosion": The Influence of Prior Assumptions, John J. Welch, Eric Fontanillas, and Lindell Bromham, 672
dating (amphibians origin and phylogeny), 393
dating, 391, 719
Ecology, 371
evolution, 277
methods and DNA alignment (Scincid lizards), 376
Molecular Phylogenetics of the Siphonophora (Cnidaria), with Implications for the Evolution of Functional Specialization, Casey W. Dunn, Philip R. Pugh, and Steven H. D. Haddock, 895
phylogenetics, 455
phylogenetics, siphonophora (cnidaria), 919
Molecular Phylogeny of the Carnivora (Mammalia): Assessing the Impact of Increased Sampling on Resolving Enigmatic Relationships, John J. Flynn, John A. Finarelli, Sarah Zehr, Johnny Hsu, and Michael A. Nedbal, 317
phylogeny, 719
sequence data, 697
sequencing (Lamiales case study), 698, 700
Molecular
biodiversity, 936
characters, 953–955, 959, 960, 965–973, 976, 981, 982, 985
clock, 77, 174, 500, 634
phylogenetic trees trees without, 500
test (*Exacum*), 25
data, 700
Molecules, 88, 292, 514, 530, 562, 689, 693, 820, 842
Möller, Michael, see Yuan, Yong-Ming, 21–34
Mollusks, 644, 647, 651, 653, 675
monedula, 602
Monkeys, 142
Monnina, 594
Monocots, 340, 341
monophyletic group, 608
Monophyly versus polyphyly, 397
Monosiga brevicollis, 656, 745
Monostroma grevillei, 938
montagne, 513
Monte Carlo simulations, 183
Monteiro, Leandro R., see Klingenberg, Christian Peter, 678–688
Morenocetus parvus, 85–86
Morenocetus, 85
Morganucodon, 533
morphogenesis, 254
Morphological
characters, 959, 967, 972, 973, 982
data and analysis frogs phylogeny, 781
data sets, 530
phylogenies
convergence and noise in, 865
Morphology and fossils, 169
morphology bridges extinct and extant taxa, 169
phylogeny reconstruction of extinct taxa, 169
taxon sampling and the importance of fossils, 170
Morphology's Role in Phylogeny Reconstruction: Perspectives from Paleontology, Nathan D. Smith and Alan H. Turner, 166
Morphology, 91, 865
Morphometric applications, 678
Morrison, David A., The Phylogenetic Handbook: A Practical Approach to DNA and Protein Phylogeny, 984–986
Morus serrator, 621
Mosaics of Convergences and Noise in Morphological Phylogenies: What's in a Viverrid-Like Carnivoran?, Philippe Gaubert, W. Chris Wozencraft, Pedro Cordeiro-Estrela, and Géraldine Veron, 865
Mosses, 943
Most recent common ancestor (MRCA), 21, 592, 50, 60, 62, 64, 87, 299, 442, 592, 599, 603, 611, 613, 665
Moths, 262, 691, 857
Mougeotia scalaris, 938
Moulton, Vincent
see Holland, Barbara R., 66–76
see Winkworth, Richard C., 56–65
mountain, 513
Mouse, 481
MPT support, 203
mtDNA and animal phylogeny, 651
conservation of gene arrangement across metazoa, 655
DNA extraction, amplification, cloning, and sequencing, 652
gene arrangement of ancestral bilaterian and gene order evolution, 654
gene arrangements and phylogenetics, 656
mitochondrial gene arrangements of demosponges, 653
mitochondrial gene rearrangements and animal phylogeny, 656
phylogenetic analysis, 652, 653
specimen collection, 652
mtDNA, 4, 35
analysis based on "misleading results", 955
and nuclear data, 41, 42
combining data sets, 954
congruence, 954, 958, 961, 968, 969
incongruence, 953–956, 959, 960
parametric bootstrap analysis of, 47
phylogenetics, 951, 952, 958, 959, 961, 963, 972, 973, 982, 983, 985, 986, 987
Poriferan, 651
stiff-tailed ducks (*Nomonyx-Oxyura*), 41, 42, 47
Muggiaea atlantica, 922
Muggiaea atlantica, 928, 932
muirii, 301
Mulgedium, 203, 207
Multiclavula, 662
Multidimensional scaling (MDS), 471
Multidimensional shape spaces, 678
amodified shape distance for non-isotropic variation, 684
geometric morphometrics and multivariate theory of quantitative genetics, 682
interpreting and visualizing multivariate selection on shape, 684
magnitude and direction: are they really separable?, 682
multivariate spaces transformations, 680
shape variation, 679
Multigene
data sets, 743
phylogenetic analysis, 441
phylogeny, 900

Multiple
data sets, 74, 456, 476, 483, 484, 620, 622, 951, 953–957, 959, 961, 964, 975, 976, 979, 981, 985
reversals of asymmetric mutational constraints, 277
sequence alignment, 548
trees, 62, 186, 194, 350
Multistate characters, 305, 653, 781, 868
MULTISTATE, 93, 259, 264, 781
Multivariate analysis, 679
Multivariate spaces transformations, 2, 680
DNA extraction, 2
PCR amplification, 2
sequence alignment and datasets construction, 2
sequence and phylogenetic analyses, 2
sequencing reactions, 2
Multivariate theory of quantitative genetics (densely sampled trees), 4
Multrees, 5
Mundulea sericea–Millettia thonningii, 582
Mungos, 328, 331, 333
mungo, 323, 337
Mungotictis decemlineata, 337
Mungotictis, 876
Muridae, 722, 729
Muriella aurantica, 939
Murinae, 729
Mus musculus, 604, 729
Muscomorpha, 279
Mushroom-forming fungi, 660
Mustela, 323, 328, 331, 332
erminea, 336
frenata, 336
lutreola, 336
nivalis, 336
putorius, 336
sibirica, 336
vision, 336
Mustelidae, 317, 318, 323, 325, 327, 331–333, 336, 830
Mustelinae, 325, 328
Mutational constraints, asymmetric, 277
Mutational saturation, 114, 278, 921
Mutations, 277
Mycelis, 202, 204, 208, 209
muralis, 198
Mychonastes homosphaera, 939
Mycobacterium leprae, 276
Mycobacterium tuberculosis, 276
Mycoplasma, 270, 272
genitalium, 276
penetrans, 276
pneumoniae, 276
pulmonis, 276
Mydaus, 318, 319, 325, 327, 333, 336
myersi, 349
Noguchiphaea, 360
Myological characters, 786
Myosotis, 56, 60, 61, 64
australis, 61
exarrhena, 60
Myriapoda, 277–279, 286, 294
Myrmecia
biatorellae, 939
israeliensis, 939
Mysticete Whales evolution, 77
branching dates estimation with relaxed molecular clock, 80
direct sequencing and primer walking, 79
divergence times, 84
DNA samples, 78
LA-PCR of mitochondrial DNA genome, 78
mysticete mitochondrial genome, festures of, 80
phylogenetic analysis, 79
phylogenetic relationships of Baleen whales, 82
phylogenetic tree estimation using MT-genome data, 80
toward a mysticete phylogeny, 87
Myxine glutinosa, 279
Myxine, 282
nagatae, 63
nana, 802
Nandinia, 317, 323, 326, 329, 333, 337, 865–867, 870, 871, 873, 875, 876, 879–883, 890
Nanomia bijuga, 922, 924
Nanomia bijuga, 931
Narceus annularus, 279
Narceus, 279, 281, 282, 297, 298
Nasua nasua, 337
National Science Foundation, 104, 180, 253, 266, 453, 480, 545, 667, 742, 775, 803, 841, 844, 845, 933, 965
Naylor, Gavin J. P., see Collins, Timothy M., 493–499
Nearest-neighbor interchanges, 554
Nectadamas diomedeae, 922, 932
Nectopyramis natans, 922, 932
Nectosomal nectophores, 932
Nectosome orientation relative to siphosome, 931
Necturus, 96, 102, 758, 759, 762, 764, 769, 772, 774
alabamensis, 760
beyeri, 760
lewisi, 92, 760
maculosus (beyeri), 96
Nedbal, Michael A., see Flynn, John J., 317–337
Neighbor joining, 183
Neighbor-Net, 620
Neisseria
meningitidis Z2491, 276
meningitidis, 276
Nematanthus hirsutus, 708
Nematocera, 279
Nematodes, 651, 656, 675, 743, 752
Neocallimastix, 754, 755
patriciarum, 744, 745
Neochloris aquatica, 939
Neogene, 23–31, 358
Neognathae, 562–564, 566, 568, 605, 611
Neogrammarians, 517
Neornithes, 602, 609, 611, 616
Neoseps reynoldsi, 378
Neoseps, 373, 375, 382, 386, 387, 388
Neotoma fuscipes, 729
Neotyphodium, 210
Nepenthes, 21, 32
Nephroselmis olivacea, 938
Nereis, 279
Nesomyinae, 729
Nesotes, 634
Nessia, 376
Nested-clade analysis (NCA), 339, 371, 566
Nesticus, 279
Network construction methods using simulated sequence data, 363
ambiguity, 369
comparative analysis of graph construction methods, 371
compatibility, 368
graphs and statistical analyses comparison, 367
median-joining network, 367

minimum-spanning network, 366
network construction, 366
simulation of data, 364
statistical parsimony network, 367
tree length, 369
union of maximum parsimonious trees (UMP), 367, 369
Networks, 39, 56, 58, 59, 62, 64, 66–75, 153, 181, 318, 319, 324, 346, 363, 371, 523, 620–622, 624, 626–629, 631, 669, 671, 859, 985
Neurobasis, 351
chinensis, 349
Nicotiana tabacum, 409, 708
Nikaido, Masato, see Holland, Barbara R., 77–90
Nilsson, R. Henrik, see Hibbett, David S., 660–667
Nissolia hirsuta–Chaetocalyx scandens, 581
Nitella capillaries, 938
Nitellopsis obtuse, 938
Nitrosomonas europaea, 276
nivalis, 332
Nodal
support, 4
support (densely sampled trees), 12, 15
Node, 595
node-based definition, 608
Nodes in Phylogenetic Trees: The Relation Between Imbalance and Number of Descendent Species, Eric W. Holman, 895
Noguchiphaea, 347, 353, 359
yoshikoae, 349
Noise pattern in morphological data (viverrid-like morphotypes), 881
Noise, 865
Nomonyx, 35–37, 40–42, 44, 46, 47, 54
dominicus, 37, 53
O. vittata, *O. jamaicensis*, 42
-Oxyura, 35, 37, 38, 39, 41, 42, 43, 46, 47
Nomony, 37
Nonadaptive characters, 881
nonparametric bootstrap, 66
North American Tiger Beetles (Genus Cicindela), 4
Nostoc, 276
Notation, 595
Notobatrachus, 111
degiustoi, 111, 121, 123
Notophthalmus, 774
viridescens, 759, 760
Pleurodeles, 774
Novoeumeces, 375, 388
Nuclear
DNA, 441
gene trees, 35
genes, 719
genomic data, 758
rRNA phylogeny (Salamanders), 764
Nucleomorph, 743
Nucleotide composition
at synonymous third codon positions, 281
for mtDNA sequences, 278, 281
Nucleotides, amino acids versus, 72
nutans, 301
Nycticebus, 721
Nycticebus coucang, 729
Nyctimantis, 779
Nyctimystes, 779, 803
Nymphalidae, 509
Ochotona princeps, 729
Ocotea, 860
Odobenus rosmarus, 323, 336, 604
Odobenus-, 324
Odonata, 347, 348
Zygoptera, 347
Oedogonium cardiacum, 939
Ohomopterus., 17
Okada, Norihiro, see Holland, Barbara R., 77–90
oldenlandioides, 31
Olea, 866
Oleaceae, 706, 708
Olea, 197
On Probability and Systematics: Possibility, Probability, and Phylogenetic Inference, Matthew H. Haber, 831
Ononis natrix–Vicia sativa, 582
Ontogeny, 91, 94, 99, 572, 891
Discombobulates Phylogeny: Paedomorphosis and Higher-Level Salamander Relationships, John J. Wiens, Ronald M. Bonett, and Paul T. Chippindale, 91
Ontology, 960, 966
Onuphis
Onychiurus, 279
Onychodactylus, 774
fischeri, 760
japonicus, 760
Oocystis heteromucosa, 939
Oomycetes, 211
Operational taxonomic units, 530, 846
Ophiacodon retroversus, 533
Ophiacodontidae, 533
Ophiacodon, 533
Ophiomorus punctatissimus, 378
Opilidia, 7, 13
Opossum, 481
Optimal tree, 66, 220, 223–225, 421, 521, 622, 767
Optimization, 299
oregona, 17
Origin of Species, 517
Ormosia, 587, 593
colombiana–Ormosia formosana, 581
colombiana–Spartium junceum, 581
Ornichia, 23, 26, 27, 28, 29, 30
madagascariensis, 34
Ornithodoros, 282
moubata, 279
Orobanchaceae, 706, 708
orthologous, 966
Orthoporus, 279
Orthoptera, 279, 281, 691
Orycteropus afer, 730
Oryctolagus cuniculus, 729
Oryx gazella, 136
Oryzorictes hova, 730
Osornophryne, 789
Osteichthyes, 677
ostensively, 596
Osteocephalus, 779
Osteoderms, 530–532, 534, 535, 541, 542, 544, 545
Osteological characters, 324
Osteopilus (Calyptahyla) crucialis, 803
Osteopilus, Phrynohyas, Phyllodytes, Trachycephalus, 789
Osteopilus, 779, 802, 803
Ostrinia nubilalis, 279
Ostrinia, 282
Otaria byronia, 604
Otariidae, 323, 324, 333, 336
Otomyinae, 729
Otomys angoniensis, 729
Ourococcus multisporus, 939

Outgroup, 9, 14, 23, 26, 29, 41, 42, 61–63, 80, 94, 112, 114–118, 129, 135, 199–202, 212, 230, 247, 269, 278, 300, 301, 317, 319, 328, 331–333, 343, 347, 348, 350, 353, 357, 376, 392, 393, 413, 420, 484, 486, 493, 495, 497, 598, 603, 604, 609, 610, 612, 620, 624, 638, 639, 651, 652, 656, 669–671, 711, 713, 721, 724, 725, 727, 743–745, 747, 751–754, 759, 762, 772, 780, 782, 783, 805, 809, 811, 890, 904, 912, 916, 919–922, 949, 951
Ovis aries, 136
Owenetta rubidgei, 533
Oxalis, 212
Oxyura, 35–38, 40, 41–44, 47, 49–51, 54
  australis, 54
  j. andina, 53
  j. ferruginea, 53
  j. jamaicensis, 53
  leucocephala, 54
  maccoa, 54
  Oxyurinae, 35
  vittata, 53
p-distances, 56, 57, 63
P-values, 44, 120, 121, 221, 461, 712, 766
Pachycephalosaurus wyomingensis, 602
Pachydela, 7
Pachymedusa dacnicolor, 789
Pachymedusa, 779, 789, 803
pacifica, 955, 956
Paedomorphic salamanders, 101
Paedomorphosis and higher-level Salamander relationships, 91
  Clade formation aspects, 97
  molecular data and analysis, 94
  morphological data and analysis, 93
  paedomorphosis effects, 96, 98
  Salamanders phylogeny, 102
  terminology, 92
Page, Rod, see Simon, Chris, 1–3
Paguma, 873
Pagurus longicarpus, 279
Pagurus, 279, 282, 297, 298
pair Hidden Markov Model, 549
pair-HMM, 549
Paleontological studies, 566, 981
Paleontology, 166, 171, 317
Paleopolyploidy and taxon divergence, 441
  ancient polyploid event, 453
  data collection and alignment, 444
  glycine and medicago (H2) ancestors, 449
  Ks data and topological conclusions, 450
  legume phylogeny and genome evolution, 442
  mapping implications, 453
  null hypothesis, 446
  paralogue loss, 450
  phylogenetic analysis, 444, 447
  phylogenetic tests of competing duplication hypotheses and methodological complications, 443
  synonymous distance analysis, 445, 447
  synonymous site divergence rates, 452
  triple and quad genes found, 447
Paleopolyploidy, 441
Paleoprionodon, 867
Paleothyris, 533, 537
  acadiana, 533
Palpons, 932
Pamelaescincus gardineri, 378
Pamelaescincus, 374, 376, 382, 387
Pan troglodytes, Pan paniscus, 606
Pancrustacea, 277, 278, 284–287, 294
Pangaean breakup, 111
Pangaean diversification of Crown-Group Frogs, 111
paniculatus, 301
paniscus, 606
Panochthus frenzelianus, 533
Panthera leo, 326, 336, 337
Panthera tigris, 336
Panthera uncia, 327, 330, 336
Panthera, 324, 326, 327, 333
Panulirus, 281, 282
  japonicus, 279
Pan, 606
Papilio xuthus, 508
Papilionidae, 509
Papillomavirus, 127, 134–137, 139, 141–143
Papio hamadryas, 135
papyraceus, 301
Parabalaenoptera baulinensis, 86
Paracentrotus lividus, 279
Paracentrotus, 282
Paracontias brocchii, 378
Paracontias holomelas, 378
Paracynictis
  selousi, 337
  Salanoia, 327
paradigms, 602
paradox, 455
Paradoxopoda, 277, 294
Paradoxurinae, 873
Paradoxurus, 868, 873
  hermaphroditus, 336, 337
  jerdoni, 871
Parafit phylogenetic analyses, 713
ParaFit, 710, 712, 713, 715, 716
Paralogous lineages and cophylogeny mapping, 127
  effect of decreasing sampling effort on the influence of paralogous lineages, 136
  herpes cophylogeny, 138
  influence of paralogous lineages on reconciled trees, 136, 141
  phylogenetic reconciliation, 134
  phylogenetic reconciliation of Herpesviridae phylogenies with hosts, 135
  potential for duplication in viral cophylogeny, 141
  preliminary cophylogenetic comparisons for Papillomavirus and Adenoviridae, 134
  preliminary reconciliation analysis of other DNA viruses, 136
  resampling and reconciliation of paralogous taxon sets, 134
  sampling and phylogeny estimation, 129
  significance testing, 134
  unknown paralogy, 142
paralogous, 953, 966, 967–969, 971
Paralogy, 127–129, 136, 141, 445, 697, 954, 966–970, 972, 973
Paramesotriton hongkongensis, 392
Parameter-rich models, 814, 815
Parametric bootstrap analysis of mtDNA data, 47
Paranephrotus, 711
Paraphrynus, 279
Parareptiles, 531, 542–544
Pararge aegeria, 509
Parasites
  fin, 715
  gill, 715
  host and parasite phylogenies, 710
  phylogenies, 710
Parasola, 661
Paratypothorax andressorum, 533
pardalis, 333

Pareiasaurus serridens, 533
Parietochloris pseudoalveolaris, 939
pariocela, 378
Parkinson, Christopher L., see Wiens, John J., 778–807
Parnasius smintheus, 508
Parochetus communis–Vicia sativa, 582
Parrots, 158
Parsimonious trees, 367, 369
Parsimony, 317, 419, 432, 697, 758
  Carnivora (mammalia), 320
  dollo, 207
  optimization using squared-change, 567
  Statistical parsimony network, 367
  technique, 838
  weighted, 207
Parsimov method
  branch-and-bound-like near-thorough searches, 236
  comparisons with previous methods, 237
  consensus solutions, 237
  cracking and Parsimov methods for event-paired data, 239
  input orders and event-pair coherence, 234
  Parsimov program, 237
  rapid heuristic using "total change" scores, 235
  search strategies, 235
  steps in, 233
  theoretical underpinnings of, 231
Parsimov program, 230
Partitioned
  Bayesian Analyses, Partition Choice, and the Phylogenetic Relationships of Scincid Lizards
Matthew C. Brandley, Andreas Schmitz, and Tod W. Reeder, 373
    branch support, 484
  likelihood support, 484
Partitioning, 373
  data, 374
  strategy
  effect on mean -lnL, 381
  effects on topology, posterior probabilities, and the Bayes factor, 381
  partition incongruence and performance, 385
  Scincid lizards, 379
Partition
  analysis, 382
  choice, 373
  homogeneity test (PHT), 197
Partnerships for Enhancing Expertise in Taxonomy (PEET), 841
parviceps, 789
Parvimolge townsendi, 760
Parvimolge, 774
parvus, 120
Passer domesticus, Saltasaurus loricatus, 611
Passer domesticus, 602, 609–611, 613, 614
Passeriformes, 862
Passer, 598, 602, 604
Pastene, Luis A., see Holland, Barbara R., 77–90
Pasteurella multilocida, 276
pater, 517, 519
Pathera, 329
Patristic versus pairwise ML distances, 905, 912
Patterns of Cladogenesis in the Venomous Marine Gastropod Genus *Conus* from the Cape Verde Islands, Regina L. Cunha, Rita Castilho, Lukas Rüber, and Rafael Zardoya, 634
Paukstadt, Laela H., see Regier, Jerome C., 254–267
Paukstadt, Ulrich, see Regier, Jerome C., 254–267
Paulownia, 706
  tomentosa, 708
Paulschulzia pseudovolvox, 939
pavimentatus, 388
PCR amplification and sequencing, 638
PCR amplification, 2
Pediastrum duplex, 939
Peigler, Richard S., see Regier, Jerome C., 254–267
Pelecaniformes, 620
Pelecanus conspicillatus, 621
Pelliceria, 30
pellucidus, 301
Pelobates, 119, 120, 123
Pelobatoidea and neobatrachia, 122
Pelodytes punctatus, 113
Pelomedusa subrufa, 614
Peltogyne
  confertiflora–Glycine tabacina, 584
  confertiflora, 593
Peltophorum dubium–Parkinsonia aculeata, 581
Penaeus, 281, 282
  monodon, 279
Penalized likelihood rate smoothing, 575
Penalized likelihood, 25, 28, 64, 300, 302, 310, 314, 347, 350, 358, 442, 521, 576, 577, 582, 583, 721
Penicillium, 211
Penium, 938
pennanti, 325, 326
Pennsylvanian, 396
Pentaphlebia stahli, 350
Pentaphlebia, 347, 359, 360
Perciformes, 161
Periosteal ossification, 562
Permutation tail probabilities (PTPs), 197, 199
pernyi, 260, 264
Peronospora parasitica, 212
Peronospora, 212
Petalostylis labicheoides–Poeppigia procera, 581
Petrea racemosa, 708
Petromyzon marinus, 279
Petromyzon, 279, 282, 297, 298
Pfeil, B. E., Schlueter, J. A., Shoemaker, R. C. and Doyle, J. J., Placing Paleopolyploidy in Relation to Taxon Divergence: A Phylogenetic Analysis in Legumes Using 39 Gene Families, 441–454
Phalacrocorax carbo, 621
Phallus, 662
Phaon iridipennis, 349
Phaon madagascarensis, 349
Phaon, 353, 359
Phaseolus coccineus–Vigna subterranea, 582
Phaseolus vulgaris, 582
Phaseolus, 453
Phasmahyla, 779
Phenotypes, 514
Philenoptera laxiflora–Millettia thonningii, 582
Philippe, Herv´e, see Brinkmann, Henner, 743–757
Philippines, 31, 377
Phillips, Matthew J., Telling the Evolutionary Time: Molecular Clocks and the Fossil Record, 174–175
Philoganga
  vetsusta, 357
  vetusta, 350
Philogenia cassandra, 350, 357
Philosophie Zoologique, 517
Phoca, 323
  vitulina, 336, 604
Phocidae, 323, 324, 333, 336

Phoma exigua, 211
Phoxinus phoxinus, 716
Phrynohyas, 779, 789, 790, 798, 802, 803
  Pseudis, 795
Phrynomedusa, 779
Phrynopus, 801
Phrynus sp, 279
Phrynus, 278, 280, 281, 282, 292
Phthiraptera, 279, 281
Phyllodytes, 779
Phyllomedusa lemur, 789, 803
Phyllomedusa, 779, 789, 803
Phyllostachys, 198, 212
Phylloxylon perrieri–Cicer arietinum, 584
PhyloCode, 595
Phylodiversity (Chlorophyta), 944
Phylogenetically independent contrasts, 562
Phylogenetics of Eggshell Morphogenesis in Antheraea (Lepidoptera: Saturniidae): Unique Origin and Repeated Reduction of the Aeropyle Crown, Jerome C. Regier, Ulrich Paukstadt, Laela H. Paukstadt, Charles Mitter, and Richard S. Peigler, 254
Phylogenetics, 146, 808, 916
  Lamiales case study, 700, 705
  mtDNA, 951–961, 967, 969, 971, 972, 976, 982, 983, 984
  Scincid lizards, 374, 380
Phylogenetic
  accuracy and data set support, 166
  accuracy, 731
  analyses
  deep eukaryotic, 746
  densely sampled trees, 5
  evolutionary rates of genes, 900
  green algae (Chlorophyta), 938
  Madagascar, 720
  parafit, 713
  Salamanders, 759
  siphonophora (Cnidaria), 920, 921
  treefitter, 712
  TreeMap 1.0, 713
  TreeMap 2.0β, 713
  Phylogenetic compression (forest and trees), 146
  choosing between forest and tree, 148
  coding scheme, 155–156, 157
  compression optimality and robustness of model selection, 152
  compression using forest, 148
  data sets, 149
  entropy, 152
  extensions and generalizations, 153
  identifying conflicting phylogenetic signals, 151
  model comparison, 157
  phylogenetic data set complexity and evolutionary implications, 152
  preliminaries, 147
  relationship to other tests for conflict, 151
  relationship to work on recombination, 152
  total evidence school of inference, implications of, 151
  using most-parsimonious tree, 147
  definition, 608
  Diversity and the Greedy Algorithm, Mike Steel, 527
  diversity, 527
  error and taxonomic sampling, 432
  error, 432
  hypothesis testing, 111
  inference, 651
  inferences, 112, 115, 241, 277, 831, 954, 959, 973, 981, 982
  information, 808
  methods, 268
  Relationships, Divergence Time Estimation, and Global Biogeographic Patterns of Calopterygoid Damselflies (Odonata, Zygoptera) Inferred from Ribosomal DNA Sequences, Henri J. Dumont, Jacques R. Vanfleteren, Johan F. De Jonckheere, and Peter H. H. Weekers, 347
  Signal in AFLP Data Sets, Wim J. M. Koopman, 197
  Signal in Bone Microstructure of Sauropsids, J. Cubo, F. Ponton, M. Laurin, E. de Margerie, and J. Castanet, 562
  signal, 197, 203, 865, 951, 953, 955
  systematics, 831
  Siddall and Kluge's argument from falsificationism, 831
  Siddall and Kluge's argument from probability, 832
  taxonomy (continuity and consensus in), 615
  phylogenetic taxonomy without the phylocode, 615
  unitary taxonomy, 615
  taxonomy (critique), 598
  accuracy in reporting, 607
  accuracy in statements and inferences, 607
  apomorphies and optimization, 606
  apomorphies are not specifiers, 605
  apomorphies as dependent clauses, 605
  complex apomorphies as specifiers, 606
  crown clades and common names, 607
  crown clades may be stem-based, 605
  current abbreviation scheme, 599
  definitional rationale, 598
  dots, arrows, and cladograms, 599
  graphical representation, 598
  heuristic solution, 601
  only two definitional types, 603
  phylogenetic trees versus cladograms, 598
  ramifications, 602
  symbols and definitional abbreviation, 599
  three definitional components, 602
  taxonomy (heuristic criteria), 612
  prior use, 614
  simplicity, 613
  stability, 612
  taxonomy (revised terminology), 608
  accessory qualifiers, 609
  crown clades, 610
  definitional authors, 611
  definitional history, 610
  first-order revision, 611
  phylogenetic definitions, 608
  qualifiers, 609
  second-order revision, 611
  special clades, 610
  specifiers, 609
  stem and total clades, 610
  taxon qualifiers, 609
  textual substitution, 611
  taxonomy (theoretical foundation), 595
  definitional "classes", 596
  definitional components, 597
  diagnosis versus definition, 595
  initial definitions, 596
  protocol for phylogenetic definitions, 596
  taxonomy, 661, 665
  trees without molecular clock, divergence time estimation in, 500
  model, data, and notation, 501
  probability distribution and likelihood, 502
  simulation study, 503
  trees, 832, 838, 839, 853
  estimation, Mysticete whales evolution, 80

nodes in, 895–899
thinking in biology and historical linguistics
algorithms, 519
ancient greek obsessions, 514
before there were trees, 515
future challenges, 521
new synthesis of biology and linguistics, 520
parallels in documents of evolutionary history, 513
tangled trees—evolution and the comparative method, 516
Phylogenomics, 483, 755
Phylogeny and Biogeography of Exacum (Gentianaceae): A Disjunctive Distribution in the Indian Ocean Basin Resulted from Long Distance Dispersal and Extensive Radiation, Yong-Ming Yuan, Sébastien Wohlhauser, Michael Möller, Jens Klackenberg, Martin W. Callmander, and Philippe Küpfer, 21
Phylogeny of Eunicida (Annelida) and Exploring Data Congruence Using a Partition Addition Bootstrap Alteration (PABA) Approach, Purschke, and Kenneth M. Halanych, 927
Phylogeny reconstruction, 166–174
algorithm, 551
amniote, 544
character coding and ambiguity, 167
character conceptualization and homology assessment, 168
codon-substitution models, 808, 814
homobasidiomycetes, 660
HVR1 from primates (example), 558
initial tree and indel history, 552
Lamiales case study, 704
likelihood computation, 553
model, 548
morphological characters' homoplasticity, 168
morphology and fossils, 169–170
nearest-neighbor interchanges application , 554
optimizing tree and indel history, 553
parameters optimization, 553
phylogenetic accuracy and data set support, 166
simulation 1 application, 554
simulation 2 application, 555
phylogeny shape, 895
phylogeny, 21, 77, 91, 218, 277, 317, 347, 391, 419, 513, 530, 865
Phylogeography, 338, 347, 363, 371, 954, 959, 960, 987
Phylogram, 116, 117, 139, 140, 263, 363, 364, 398, 586, 587, 657, 762, 765, 767
Physalaemus cuvieri, 795
Physalaemus, Leptodactylus, 786
Physalaemus, 795
Physalia physalis, 922, 925, 932
Physalia, 916
Physeter catodon, 730
Physophora hydrostatica, 917, 922, 928, 933
Physophora, 933
Phyto-phthora sojae, 745
Phytophthora, 197, 211, 212
ramorum, 211, 212
Phytosaurs, 541
Pickeringia montana, 593
Picocystis salinarum, 938
Pictetia marginata–Ormocarpum kirkii, 581
Pieridae, 509
Pigs, 138, 142
Pinacosaurus grangeri, 533
Pinacosaurus, 537
Pinnarctidion, 332
Pinnipedia, 330
Pipa pipa, 113
Pipa, 116, 120
Pipoidea, 122
Piptanthus
nepalensis–Spartium junceum, 584
nepalensis–Thermopsis rhombifolia, 581
Pisani, Davide, see Wilkinson, Mark, 419–431, 823–830
Pisaster, 279, 280, 282, 284, 285, 289, 290, 297, 298
Pisaster ochraceus, 279
Pistillipollenites, 30
Pisum, 197, 453
sativum–Medicago sativa, 584
sativum–Vicia sativa, 582
Pitta sordida, 602
Placentals, 68, 71, 72, 237
mammals, 66, 72, 175, 620, 671, 693, 719, 721, 743, 744
and hexapods origins, 66
mammals phylogeny, 68
Placing Paleopolyploidy in Relation to Taxon Divergence: A Phylogenetic Analysis in Legumes Using 39 Gene Families, B. E. Pfeil, J. A. Schlueter, R. C. Shoemaker, and J. J. Doyle, 441
Placodus gigas, 534
Plankton, 646, 647
Planktosphaeria gelatinosa, 939
Planophila terrestris, 939
plantaginea, 63
Plants, 212
Plasmodium, 860, 861, 863
Platycarpus, 593
Platycnemis pennipes, 350, 357
Platycyamus regnellii–Phaseolus vulgaris, 582
Platynereis dumerilii, 279, 655
Platynereis, 279, 282, 297, 298
Platysternon, 608
megacephalum, 613
Plectographa, 7
Plectrohyla, 789, 802
Plesiorycteropus, 727
Plestiodon, 388
Plethodon elongatus (dunni), 95
Plethodontids, 98–100, 103, 774
Pleurastrum insigne, 939
Pleurastrum terrestris, 939
Pleurodeles waltl, 113, 760
Pliocene, 30, 86, 87, 339, 347, 351, 360, 566, 640, 716
pluristachyus, 301
Poaceae, 212, 575
Poales, 299
podos, 519
Poecilanthe parviflora–Hovea purpurea, 581
Poecilogale, 325–327, 329, 332
albinucha, 336
Poiana, 867, 870, 873, 875, 876, 879, 882, 883, 867, 875, 876, 880
+ *Prionodon*, 873, 879
richardsonii, 871
+ *Genetta*, 876
Poiretia angustifolia–Zornia sp, 581
Polychaeta, 279, 655
Polygalacidites calrus, 594
Polygala
californica–Cercis occidentalis, 581
californica, 592
cruciata–Cercis canadensis, 584
cruciata, 592
Polymorphic characters, 198, 781, 868
Polymorphism coding, 304, 306
Polymorphisms, 36, 41, 44, 47, 51, 88, 197, 211, 212, 303–305, 309, 520, 535, 544, 847, 855

Polypedates megacephalus, 392, 393
Polyploid plants, 441
Polyploidy, 441
Polyporus, 662
Polyscias, 21
polytaenia, 789, 802
Polythysana apollina, 257
Polytoma uvella, 939
Polytomies and Bayesian Phylogenetic Inference
Paul O. Lewis, Mark T. Holder, and Kent E. Holsinger, 241 Polytomy, 241
Pomatoschistus, 710, 711, 716
lozanoi, 716
microps, 713, 716
minutes, 712
minutus, P. lozanoi, 715
minutus, 712, 716
norvegicus, 716
pictus, 716
Ponton, F., see Cubo, J., 562–574
Popper's degree of corroboration, 199
Popper, Karl, 836
Popperian falsificationism, 832
Porifera, 651, 652, 655
Poriferan mtDNA and Animal Phylogeny Based on Mitochondrial Gene Arrangements
Dennis V. Lavrov, and B. Franz Lang, 651 *Porphyra*, 751
Porpita porpita, 919, 922
Possibility, 831
Posterior
probabilities, 455
sampling via MCMC, 407
Potos, 323
flavus, 336
Poux, Céline, Madsen, Ole, Marquard, Elisabeth, Vieites, David R., Jong, Wilfried W. de and Vences, Miguel, Asynchronous Colonization of Madagascar by the Four Endemic Clades of Primates, Tenrecs, Carnivores, and Rodents as Inferred from Nuclear Genes, 719–730
Prasiola crispa, 939
Praya dubia, 922
Precambrian, 174, 175, 278, 673, 674
Prenanthes, 202, 204, 208, 209
Primates, 71, 103, 129, 134, 137, 141, 342, 721, 725
Primer walking, Mysticete whales evolution and, 79
Principle of parsimony, 230
Prionodon pardicolor, 328
Prionodon, Poiana, 879
Prionodon, 326, 329, 865–867, 882, 873, 875, 876, 879
Prionodon, 865
Prior distributions, 247
Proailurus, 867
Probabilistic model, bayesian estimation of, 404
Probability, 6, 43, 50, 66, 68, 72, 98, 101, 102, 112, 114, 117, 118, 193, 197–201, 214, 218, 219, 221–223, 241–248, 250–252, 285, 290, 312, 329, 331, 348, 350, 353, 357, 364, 365, 367, 374, 378, 380, 383–385, 388, 393, 397, 401, 403, 404, 406–408, 410–415, 417, 418, 426, 446, 451, 455–459, 461, 462, 464–468, 487, 502–504, 514, 521, 522, 548–553, 560, 653, 673–675, 692, 694, 695, 733, 744, 746, 764, 766, 767, 769, 772, 831–840, 834, 862, 868, 897, 898, 924, 927, 930, 931, 942, 945, 946, 950, 961–965, 976, 981, 983, 986, 987
and systematics, 831
frequency interpretation of, 835
propensity interpretation of, 836
subjective interpretations of, 837
Problematic characters, 103, 168
Proboscidea lousianica, 708
Procavia capensis, 730
Procolophon, 533
Procynosuchus, 533
Procyon lotor, 336
Procyonidae, 317, 318, 323, 325, 327, 331–333, 336
Prodaisineura autumnalis, 357
Prodasineura autumnalis, 350
Proganochelys quenstedti, 533, 615
Proganochelys, 531, 544, 606, 607, 608, 614
Prokaryotes phylogeny, 268
Prokaryotes, 268
propensities to realise singular events, 836
propensity theory, 836
Propithecus verreauxi coronatus, 729
Proportional-to-distinguishable-arrangements model, 895
Prosalirus bitis, 123
Prosalirus, 111, 123
Proscelotes eggeli, 378
Proscelotes, 374–376, 382, 387
Prosopis linearifolia, 592
Prosopis pallida–Prosopidastrum mexicana, 581
prota onomata, 514
Protein evolution, 911
Protein-coding, 7, 43, 46, 49, 80, 112, 277, 278, 280, 286, 289, 293, 318, 321, 373, 374, 392, 393, 462, 651, 734, 759, 767, 772, 782, 808, 809, 816
Proteles, 871
Proteobacteria, 270, 272, 409
Proteus, 102, 758, 769
Prothore explicata, 351
Protists, 841, 857
Protomimosoidea buchananensis, 593
Protopterus dolloi, 392
Protosuchus richardsoni, 533
Prototheca wickerhamii, 939
Psammechinus, 279
Pseudacris, 779, 786, 795, 801, 802
regilla, 782, 783
Pseudacris, 789
Pseudaphelia apollinaris, 257
Pseudendoclonium basiliense, 938
Pseudis, 779, 789, 790, 795, 802
Lysapsus, 801
Lysapsus, Acris, 801
Lysapsus, 786
Pseudoacontias menameinty, 378
Pseudococcus, 348
Pseudodictyosphaerium jurisii, 939
Pseudoeurycea, 774
rex, 760
werleri, 96
Pseudogenes, 958
Pseudomonas aeruginosa, 276
Pseudoneochloris marina, 938
Pseudopalatus, 533
Pseudoreplicate, 392, 781
Pseudoscourfieldia marina, 938
Pseudotriton ruber (montanus), 95
Pseudotriton, 99
montanus, 99, 760
ruber, 92
Psilastephanocolporites fissilis, 594
Psolodesmus
mandarinus dorothea, 349
mandarinus kuroiwae, 349

mandarinus mandarinus, 349
Psoralea cinerea–Rupertia physodes, 582
Psorothamnus arborescens–Dalea pulchra, 581
Psorothamnus arborescens–Eysenhardtia orthocarpa, 581
Pternohyla, 779, 789, 802
Pterosperma cristatum, 938
Pterygota, 677
Ptychohyla, 779, 802
Smilisca, 802
Pueraria
montana–Phaseolus vulgaris, 582
montana, 582
Pugh, Philip R., see Dunn, Casey W., 895–914
pulcher, 301
pulchrilineata, 802
punctata, 802
punctatus, 301
Pupae, 508
purpuratus, 279
purpurea, 198, 199, 200
Purschke, G¨unter, see Struck, Torsten H., 927–946
Purvis, Andy, see Bininda-Emonds, Olaf R. P., 668–671
Pycnogonida, 279
Pycnoporus, 665
Pygomeles braconnieri, 378
Pyrobaculum aerophilum, 276
Pyrococcus, 409, 752
abyssi, 276
furiosus, 276
horokoshii, 276
Pyrocoelia, 282, 294
rufa, 279
Qu, Liang-Hu, see Zhang, Peng, 391–400
Quadrigula closterioides, 938
Qualitative support QS index, 828–830
Quantitative characters, 781
Quartet fit, 421
Quartet puzzling (QP) values, 66, 69, 218, 560
Quartet puzzling, 66
Quaternary, 62, 85, 87
quercina, 207
Quillaja, 510, 576, 584, 594
Raccoon, 336
Radiofilum conjunctivum, 939
Rafting, 161, 647, 719, 720, 727
RAG-1, 94–96, 98, 99, 102, 103, 110, 758, 769, 774, 976
Raillardiopsis
muirii, 62
scabrida, 62
Rainbow trout, 115
Ralstonia solanacearum, 276
Ralstonia, 270
Rana, 781, 800
catesbeiana, 759, 760
nigromaculata, 392, 396
Random tree-length distribution, 562
Randomization tests, 134, 146, 151, 566, 945
Rannala, Bruce, see Yang, Ziheng, 455–470
Ranodon sibiricus, 392
Ranunculus, 56, 57
sericophyllus, 56
Raphidonema nivale, 938
Rare genomic changes, 72, 669, 671
Rate
heterogeneity, 900
variation, 4
Rats, 719
Raucourt, Gaëtan Poncelin de, see Brinkmann, Henner, 743–757
rbcL Loci, 577
rbcL-like trees, 185, 188
rbcL, 184–189, 190, 191, 193, 194, 301, 302, 462, 510, 575–577, 583–585, 587, 588, 589, 592–594, 697, 698–700, 702–705, 697, 698, 702, 703, 708, 709
rDNA, 185–187, 189, 278, 279, 348, 660, 661, 663, 665, 667, 710–712, 849, 936
Recent species radiation, 56
Recognition, 77, 112, 180, 180, 309, 343, 387, 480, 511, 595, 602, 607, 651, 671, 802, 834, 839, 847, 854, 855, 861, 883, 969, 971
Reconciliation analysis, 127, 136, 141
Red panda, 324, 325, 328
Red-footed booby, 621
Redelings, Benjamin D. and Suchard, Marc A., Joint Bayesian Estimation of Alignment and Phylogeny, 401–418
Reeder, Tod W., see Brandley, Matthew C., 373–390
see Wiens, John J., 778–807
Regier, Jerome C., Paukstadt, Ulrich, Paukstadt, Laela H., Mitter, Charles and Peigler, Richard S., Phylogenetics of Eggshell Morphogenesis in Antheraea (Lepidoptera: Saturniidae): Unique Origin and Repeated Reduction of the Aeropyle Crown, 254–267
Regressions on distance matrices, 562
Ren, Fengrong, Tanaka, Hiroshi and Yang, Ziheng, An Empirical Examination of the Utility of Codon-Substitution Models in Phylogeny Reconstruction, 808–818
Reptiles, 120, 374, 441, 530, 537, 545, 647, 691, 862
Reptilia, 530, 531, 536–539, 541–543
Rescaled consistency index, 42
resolution, 317, 697
Resolving Deep Phylogenetic Relationships in Salamanders: Analyses of Mitochondrial and Nuclear Genomic Data, David W. Weisrock, Luke J. Harmon, and Allan Larson, 758
Restionaceae, 299, 300, 974, 982
Restio
insignis, 301
similis, 301
Retention index, 97, 116, 393, 653, 700, 783
Reticulate evolution, 62, 363, 523
reticulated graph, 363
reticulation, 56
Retzia capensis, 708
Revell, Liam J., Harmon, Luke J. and Glor, Richard E., Underparameterized Model of Sequence Evolution Leads to Bias in the Estimation of Diversification Rates from Molecular Phylogenies, 973–983
Reversible-jump MCMC, 241
assessment of mixing and convergence in, 250
for moving between tree topologies of differing dimension, 244
Rhadinosteus, 120
parvus, 123
Rhadinovirus, 129, 138
Rhinoderma darwinii, 113
Rhinophrynus, 116
dorsalis, 113
Rhipicephalus, 279, 282, 297, 298
Rhipicephalus sanguineus, 279
Rhizophora, 30
Rhizophysa
eysenhardti, 918, 922
filiformis, 922
Rhodinia fugax, 262

Rhodinia, 257
jankowskii, 257
Rhodocoma, 300
arida, 301
capensis, 301
fruticosa, 301
gigantea, 301
vleibergensis, 301
Rhodostemonodaphne, 860
Rhyacotriton variegatus (kezeri), 95
Rhyacotriton
kezeri, 760
olympicus (variegatus), 96
Rhynchocephalia, 534
Ribosomal DNA sequences, 347
Ribosomal RNA, 758
Richardson, Michael K., see Jeffery, Jonathan E., 230–240
Rickenella, 662
Rickettsia, 270, 272
conorii, 276
prowazekei, 276
Riftia
Rimanella, 347, 359, 360
arcane, 349
Robinia zirkelii, 594
Robinia
pseudoacacia–Cicer arietinum, 584
pseudoacacia–Coursetia axillaris, 581
pseudoacacia–Sesbania sesban, 584
pseudoacacia, 577, 594
Robinson–Foulds score, 434, 471, 475, 477, 478
Rodentia, 604
Rodents, 71, 342, 671, 719, 721–723, 725, 727
Roe, 392
Roelants, Kim and Bossuyt, Franky, Archaeobatrachian Paraphyly and Pangaean Diversification of Crown-Group Frogs, 111–126
Rohwer, Jens G., Endlicheria (Lauraceae) and Rhodostemonodaphne (Lauraceae), 860
Rooted source trees, 669
Rooted trees, 420, 433, 455, 456, 669, 670, 825
Rooting, 71, 72, 111, 112, 114, 115, 118, 120, 143, 413, 444, 527, 668–671, 743, 805
Rosacea flaccida, 918, 922
Rose, John R., see Hughes, Austin L., 268–276
Rothschildia
forbesi, 257
lebeau, 257
orizaba, 257
Rubinoff, Daniel and Holland, Brenden S., Between Two Extremes: Mitochondrial DNA is neither the Panacea nor the Nemesis of Phylogenetic and Taxonomic Inference, 952–961
Rudall, Paula J., see Wortley, Alexandra H., 697–709
rufus, 323, 327
Ruminants, 744
Russula, 662
Rutiodon, 533
Rüber, Lukas, see Cunha, Regina L., 634–650
Saccharomyces, 483, 484, 486, 488, 490, 493, 809, 811
cerevisiae, 292, 484
kluyveri, 494
Salamander relationships, paedomorphosis and higher-level, 91
Salamanders, 112, 114, 118, 120–122, 124, 391, 393–396, 398, 399, 734, 758, 759, 764, 768, 769, 773, 774, 91–93, 97–104
Salamanders, deep phylogenetic relationships in, 758
combined analyses, 769
DNA extraction and sequencing, 759
likelihood-based character change, 764, 772
mitochondrial DNA phylogeny, 766
mitochondrial-DNA simulations, 762, 769
nuclear rRNA phylogeny, 764
phylogenetic analyses, 759
rapid cladogenesis, 773
reconstruction challenges, 772
saturated data weighting, 774
sequence alignments, 759
taxon sampling, 759
Salamandra salamandra (Pleurodeles waltl), 95
Salamandra, 774
salamandra, 759, 760
Salamandrella, 774
keyserlingii, 760
Salamandrina terdigitata, 760
Salamin, Nicolas, Hodkinson, Trevor R. and Savolainen, Vincent, Towards Building the Tree of Life: A Simulation Study for All Angiosperm Genera, 183–196
Salanoia concolor, 337
salinarum, 409
Salmon, 710, 715
Salmonella
enterica, 276
typhimurium, 276
Saltasaurus loricatus, 533, 611, 614
Samia
abrerai, 257
cynthia, 257
ricini, 257
Sampling design, 453, 778, 779
Sampling, 317
alignment, 408
constrained, 421
gene, taxon, and eggshell, 256
posterior sampling via MCMC, 407
speciose clades, 778
taxonomic. See Taxonomic sampling
topology, 407
Sanderson, Michael J., Advances in Legume Systematics. Part 10. Higher Level Systematics, 510–511
Sanderson, Michael J., see Ané, Cécile, 146–157
sandwicense, 63
Sanjuán, Rafael and Wróbel, Borys, Weighted Least-Squares Likelihood Ratio Test for Branch Testing in Phylogenies Reconstructed from Distance Measures, 218–229
saphirina, 349
Sapho, 359, 360
armissani, 351
bicolor, 349
cf. ciliata, 349
ciliata, 349
gloriosa, 349
sannoisiensis, 351
Sasaki, Takeshi, Nikaido, Masato, Hamilton, Healy, Goto, Mutsuo, Kato, Hidehiro, Kanda, Naohisa, Pastene, Luis A., Cao, Ying, Fordyce, R. Ewan, Hasegawa, Masami and Okada, Norihiro, Mitochondrial Phylogenetics and Evolution of Mysticete Whales, 77–90
sativa, 205, 206
Saturation, 4
Saturnia (Caligula) japonica, 257
Saturnia (Eudia) pavonia, 257
Saturnia (Saturnia) pyri, 257
Saturnia, 256

naessigi, 257
pyri, 262
Saturniidae, 254
Sauria, 530, 533, 536–539
Sauropelta, 537
edwardsorum, 533
Sauropsida, 393, 395, 537, 541
Sauropsids bone microstructure, 562
cortical thickness evolution, 569, 572
optimization using squared-change parsimony, 567
phylogenetic signal, 568, 571
phylogenetically independent contrasts, 567
random tree-length distribution, 566
reference phylogeny, 565
regressions on distance matrices, 566
size effect, 568, 571
variation partitioning method, 567
Sauropsids, 562, 564, 568
Savolainen, Vincent, see Salamin, Nicolas, 183–196
scabra, 63
Scaphiophryne marmorata, 113
Scaphiopus, 119, 120, 123
hurterii, 113
Scarthyla, 779, 789, 801
Scelidosaurus, 537
harrisonii, 533
Scelotes, 374, 376, 382, 387
bipes, 378
mirus, 378
Scenedesmus
obliquus, 939
pupukensis, 939
rubescens, 939
Scent, 866, 867, 879, 893
Schizomeris leibleinii, 939
Schizosaccharomyces, 751
schlechteri, 301
Schlegelia parviflora, 708
Schleicher, 513
Schlueter, J. A., see Pfeil, B. E., 441–454
Schmitz, Andreas, see Brandley, Matthew C., 373–390
schneideri, 375, 378, 382, 388
schwartzei, 375, 378, 382, 387, 388
Scinax, 779, 789, 790, 794
elaeochroa, 790
Boana, 795
Sphaenorhynchus, 790
Scinax, 790
smithii, 789
Scincella, 382, 386
lateralis, 377
Scincid lizards, 373
Acontinae and Lygosominae, 386
basal scincid relationships and major "scincine" clades, 386
Bayes factor, 381, 386
bayesian phylogenetic analyses, 376
effect of partitioning on mean -lnL, 381
effects of partitioning on topology, posterior probabilities, and Bayes factor, 381
Feylinia, 387
higher-level phylogeny of Scincidae, 382
model determination, 376
molecular methods and DNA alignment, 376
other African and Malagasy scincines, 387
partition incongruence and performance of partitioned analyses, 385
partitioning strategy, 379
phylogenetics, 374
phylogeny and taxonomy of "Eumeces", 387
Phylogeny of Scincidae, 382, 386
taxon sampling, 376
testing alternative phylogenetic hypotheses, 380
Scincidae, 373, 374, 376, 382, 386, 387, 542
Scincinae, 373–377, 382–384, 386
Scincine clades, 386
Scincopus fasciatus, 378
Scincopus, 373, 382, 386, 387, 388
Scincus, 373, 382, 386, 387, 388
mitranus, 378
scincus, 378
Scolecoseps, 374, 376
Scorpiones, 277–279, 285, 286, 293
Scotland, Robert W., see Wortley, Alexandra H., 697–709
Scrophularia californica, 708
Scrophulariaceae, 697, 706, 708
Scutellosaurus, 537
lawleri, 533
Scutosaurus, 533
Scyliorhinus canicula, 392
Sebaea, 23
secalis, 211
Secondary structure, 2, 23, 79, 373, 376, 409, 782, 783, 919–921, 923, 925
Securidaca bombacopsis, 594
Securidaca, 594
Seed plants, 150
Selection, 15, 58, 59, 115, 121, 127, 147, 152, 169–171, 218, 221, 222, 227, 228, 236, 254, 263, 265, 277, 312, 386, 388, 443, 466, 483, 484, 494, 499, 508, 513, 514, 516, 523, 532, 562, 563, 569, 571, 576, 589, 613, 647, 681–684, 687, 745, 808, 846, 854, 857, 862, 865, 951, 953–955, 963, 981, 987
Semnopithecus entellus, Macaca fuscata, 135
Senecio, 197, 212
Sensitivity analysis, 402
Sepsina, 374, 376
Sepsophis, 376
Sequence
alignment
Crown-group frogs, 112, 115
densely sampled trees, 4
Exacum, 23
analysis, 350
data collection and assembly (Eggshell morphogenesis in Antheraea), 257
data preparation
amphibians origin and phylogeny, 391
evolution, 40, 50, 68, 69, 71, 152, 258, 312, 364, 373, 376, 379, 380, 393, 432–434, 497, 501, 502, 521, 620, 631, 720, 721, 733, 743, 746, 750, 773, 948–955, 958–961, 965–967, 969, 972, 973–987
heterochrony identification, 230. *See also* Parsimov method
length and substitution rate, 704
simulation (Lamiales case study), 699
Sequencing
reactions, 2
stiff-tailed ducks, 39
Sereno, Paul C., The Logical Basis of Phylogenetic Taxonomy, 595–619
sericophyllus, 57
serriola, 205, 206
Sesamum indicum, 708
Sesbania
vesicaria–Sesbania grandiflora, 582
vesicaria–Vicia sativa, 582
Setifer setosus, 730
Shape distance for non-isotropic variation (densely sampled trees), 7

Shape spaces, multidimensional, 678
amodified shape distance for non-isotropic variation, 684
geometric morphometrics and multivariate theory of quantitative genetics, 682
interpreting and visualizing multivariate selection on shape, 684
magnitude and direction: are they really separable?, 682
multivariate spaces transformations, 680
shape variation, 679
Shape variation, 1
Sheep, 592
Shewanella oneidensis, 276
Shimodaira-Hasegawa test, 115, 201, 393, 394, 711, 746, 761
Shoemaker, R. C., see Pfeil, B. E., 441–454
Shomronella jordanica, 123
Shonfeld, Moran, see Hibbett, David S., 660–667
Shrimp, 79
Siadenovirus, 143
siamensis, 642
sibirica, 207
Siddall and Kluge
argument from falsificationism, 831
argument from probability, 832
Sigmodontinae, 729
Significance test, 466, 468
Significance testing, 134
Silene, 441
Silurana tropicalis, 113, 118
Silurana, 116
Silverswords, 60, 64
silvestris, 326
Simocyon, 332
Simon, Chris and Page, Rod, The Past and Future of Systematic Biology, 1–3
Simosuchus clarki, 533
Simulated sequence data, 363
Simulation, 221, 554, 555, 903, 905
model, 457, 458, 474, 948, 981
study, 183, 503
angiosperm genera, 183
branch length and bayesian posterior probability, 455, 456
lamiales case study, 698
species trees, 968
taxa rescue phylogenetic analyses and long-branch attraction, 732
Simultaneous Statistical Multiple Alignment and Phylogeny Reconstruction
Roland Fleissner, Dirk Metzler, and Arndt von Haeseler, 548 *Simyra*, 854
henrici, 854
Single tree coding scheme, 156
Single-copy genes, 720
Sinorhizobium meliloti, 276
Siphonophora (Cnidaria), molecular phylogenetics of
alignment, 919, 921
bracts, 932
collection, sequencing, and alignment, 921
gastrozooids, 932
gross morphology, 928
hypothesis testing, 920, 921
molecular methods, 919
monoecy versus dioecy, 928
morphological observations and character evolution, 920, 925
nectophore canal system, 930
nectosomal nectophores, 932
nectosome orientation relative to siphosome, 931
palpons, 932
phylogenetic analysis, 920, 921
short-stemmed codonophora, origins of, 928
siphonophores phylogeny , 925
specimens examined, 919
zooid gain and loss, 931, 932
Siphonophores, 916
Siren intermedia, 92, 760
Siren lacertina, 760
Sistotrema, 662
Skeletal characters, 931
Skinks, 373–376, 382, 386–388
Skunks, 317, 318, 325, 327, 333
Smilisca, 779, 789, 802
Smith, Nathan D. and Turner, Alan H., Morphology's Role in Phylogeny Reconstruction: Perspectives from Paleontology, 166–173
Smith, Vincent S., DNA Barcoding: Perspectives from a "Partnerships for Enhancing Expertise in Taxonomy" (PEET) Debate, 841–843
Smith, Wm. Leo, see Sparks, John S., 158–165
Snakes, 387, 530
Snyder, Marc, see Hibbett, David S., 660–667
Soft tissue characters, 543
Solanales, 698
Solanum tuberosum, 198
Solanum, 197, 212
Soldanella, 212
Solfolobus tokadei, 276
Sonchus, 198
Sorenson, Michael D., see McCracken, Kevin G., 35–55
Source trees, 420, 668–671, 879
rooted, 669
unrooted, 670, 671
South Africa, 54, 377, 378, 819
Southern Hemisphere, 49, 60, 64, 123
Spalacinae, 729
Spalax ehrenbergii, 729
Sparks, John S. and Smith, Wm. Leo, Freshwater Fishes, Dispersal Ability, and Nonevidence: "Gondwana Life Rafts" to the Rescue, 158–165
Spartium junceum, 594
Spea multiplicata, 113
Spea, 119, 120, 123, 781, 782
Speciation, 4, 16, 26, 29, 35, 36, 51, 56, 88, 127, 138, 152, 159, 164, 186, 299, 307, 312–314, 341, 342, 347, 360, 433, 501, 502, 509, 634, 635, 638, 645–648, 674–676, 690, 693, 710, 711, 715, 716, 848, 895, 955, 959, 960, 966, 975, 981–983
Species Concepts, Species Boundaries and Species Identification: A View from the Tropics, Rohini Balakrishnan, 689
Species
identification (densely sampled trees)
conceptual and methodological problems, 12
practical problems, 11
identification
conceptual and methodological problems, 689
pluralistic approach, 691
practical problems, 689
level phylogenies, 4
sampling, 743
boundaries, 689
identification, 689
Specification, 609
specifier, 598, 603
Speciose Clades, sampling strategies for, 778
Spectral analysis, 620
speggazzinii, 577
Spencer, Hamish G., see Martyn Kennedy, 620–633
Spermatozopsis similes, 939
Speyeria mormonia, 508

Sphaenorhynchus, 779, 789, 806
Sphaeronectes, 925
gracilis, 922, 928, 932
Sphaeroplea robusta, 939
Sphenodon, 530, 537, 544
Sphenomorphus, 382, 386
Sphenops, 382, 387, 387
boulengeri, 378
sphenopsiformis, 378
spicigerus, 301
Spilogale putorius, 336
Spirobolus, 279
Split decomposition, 56
Splits graphs, 56
branch length estimation, 62
examples, 60
least squares optimization, 59
split decomposition, 58
utility, 62
Spongiochloris spongiosa, 939
sporadicus, 301
Sporisorium, 210
Squamata, 386, 534, 565, 596
Squamates, 101, 376, 387, 530, 532, 537, 544
Squared-change parsimony, 304, 305, 567
Stachytarpheta dichotoma, 708
Staphylococcus aureus, 276
Star tree, 241
paradox, 455, 461
Stationarity, 94, 95, 113, 259, 378, 380, 381, 383, 384, 386, 393, 477, 499, 500, 576, 577, 581, 582, 584, 733, 782, 784, 790, 795
Statistical
alignment, 401, 548, 548
methods, 838
bayesian phylogenetic analysis, 839
maximum likelihood, 838
parsimony, 838
multiple alignment, simultaneous, 548
parsimony network, 367
parsimony, 363
Staurastrum, 938
Staurocladia wellingtoni, 919
Steatomys, 722, 729
Steel, Mike, Phylogenetic Diversity and the Greedy Algorithm, 527–529
Steel, Mike, see Lockhart, Peter, 948–951
Stefania, 779
Stegosaurus, 537, 545
stenops, 533
Steleopteron deichmulleri, 351
Stem, 595
Stephalia dilata, 917, 922, 925, 928
Stephanomia amphytridis, 917, 919, 922, 931
Stephanospora, 662
Steptorhamphus, 202, 204, 208, 209
Stereochilus, 774
marginatus, 760
Stichococcus chodati, 939
Stictonetta, 46
Stiff-tailed ducks (Nomonyx-Oxyura), 35
analysis of mtDNA and nuclear data, 41, 42
ancestral polymorphism or homoplasy, 50
collection, amplification, and sequencing, 39
conflicting mtDNA and nuclear characters, 49
control region data, phylogenetic analysis of, 40, 41
control region haplotype relationships, 42
Oxyura trichotomy, 49
parametric bootstrap analysis of mtDNA data, 47
systematic relationships and historical biogeography, 47
Stigeoclonium helveticum, 939
Stramenopiles, 748
Strand
bias reversals, 281, 289
bias, 277
compositional bias, 281, 290, 291
Strepsirrhine, 481
Streptocarpus holstii, 708
Streptococcus
agalactiae, 276
pneumoniae, 276
pyog pyogenes, 276
pyogenes, 276
Streptomyces
avertimilis, 276
coelicolor, 276
stripe, 259
Strongylocentrotus, 279, 282
Struck, Torsten H., Purschke, Günter and Halanych, Kenneth M., Phylogeny of Eunicida (Annelida) and Exploring Data Congruence Using a Partition Addition Bootstrap Alteration (PABA) Approach, 927–946
Struthio camelus, 602
Struthio, 602
Styphnolobium, 593
japonicum–Cladrastis platycarpa, 581
japonicum–Pickeringia montana, 581
japonicum, 593
Suboptimal trees, 41, 200, 485, 824
Substitution model, bayesian estimation of, 404
substitution rates, 575
Substitutional saturation, 758, 764, 766, 775
Suchard, Marc A., see Redelings, Benjamin D., 401–418
Sula dactylatra, 621
Sulawesi, 257
Sulculeolaria quadrivalvis, 922, 928
sulcus cruciatus, 867
Sulfolobus solfataricus, 276
Sulfolobus, 409
Sundacypha petiolata, 350
Supertrees, 823
asymmetric distances and ITSEs, 426
asymmetric tree-to-tree distances, 426
analysis, 669
comparison, 828
constrained sampling, 421
input tree shape, 422, 426
matches and mismatches, 826
methods, 419, 420
multiple-HMM, 419
pruning and grafting, 826
relationships, 420
sampling a subset of the pairwise alignments, 421
support and conflict, finding of, 825
support and conflict, measuring of, 828
support, conflict, permission, and irrelevance, 823
unsupported groups, 829
Support and conflict (supertrees)
finding of, 825
measuring of, 828
Support, 697
supraspinatus, 892
Suriana, 594

Suricata, 328, 331, 333, 721, 722
suricata, 730
suricatta, 337
Sus scrofa, 730
sustentaculum tali, 893
Swallowtail butterflies, 508
Swartzia
simplex–Cyathostegia mathewsii, 581
simplex–Myrospermum sousanum, 581
Sweetia fruticosa–Vatairea macrocarpa, 581
Swertiinae, 26, 28, 30
switching, 127
Swofford, David L., see Holder, Mark T., 961–965
Swofford-Olsen-Waddell-Hillis test (SOWH), 218
Sympatry, 646, 712, 715, 968
Synapomorphy, 122, 169, 197, 199, 269, 270, 272, 535, 543, 544, 563, 602, 604, 607, 608, 611, 614, 722, 774, 871, 873, 874, 879, 881, 888–890, 892, 968
Synapsids, 537
Synapsis ilicifolia, 698, 708
Synechocystis, 276
Synonymy, 353, 802, 853
Syntherata leonae, 257
Syntherata leonae, 262
Syrphidae, 896
Systematic biases, 743
Systematic characters, 967
Systematic Zoology, 2
Tachiadenus carinatus, 34
Tachiadenus, 23, 26, 27, 28, 29, 30
Taenia crassiceps, 655
taeniolatus, 375, 376, 388
Takydromus, 377
Tamura-Nei model, 226, 556, 558, 556, 558
Tanaka, Hiroshi, see Ren, Fengrong, 808–818
Tangled trees, 516
Taraxacum, 198
Taricha rivularis, 760
Taricha torosa (rivularis). Necturus maculosus, 96
Taricha, 774
Tarsius bancanus, 729
tatarica, 207
tatrense, 939
taurinus, 789
Taxa rescue phylogenetic analyses and long-branch attraction, 731
binary data, 733, 735
combining fossil and molecular data, 734, 736
DNA sequence data, 733, 735
general simulation strategy, 732
how will the tree of life be reconstructed?, 741
incompleteness effects, 732, 737
sampling taxa versus characters, 741
simulations limitations, 739
taxon completeness versus number of taxa, 736
taxon number versus taxon completeness, 734
Taxidea, 332
taxus, 336
Taxonomic
inference, 952
sampling and phylogenetic error, 432, 530
accuracy and taxonomic sampling, 436
analyses, 434
estimating MPT, 436
generation of stratified subsamples, 434
sequence generation, 434
success of heuristic searches with very large data sets, 436
tree generation, 433
under parsimony, 432
sampling
Amniota, 531
DNA alignments and, 278
frogs phylogeny, 790
Lamiales case study, 698
Salamanders, 759
Scincid lizards, 376
taxonomy, 595
Taxonomy. See also Phylogenetic taxonomy
DNA barcoding for, 852
integrative, 844
logical basis of phylogenetic, 595
TaxonSearch, 595, 615–617
Taxon
divergence, 441
qualifiers, 609
sampling, 183, 432, 731, 778
Tayra, 336
Telea (subgenus), 258
Teleostei, 711
Telling the Evolutionary Time: Molecular Clocks and the Fossil Record, Matthew J. Phillips, 174
Temnospondyls, 391, 396, 398
Templeton tests, 653, 654
Tenebrio, 279
tenebrosus, 96
Tenrec ecaudatus, 730
tensor tympani, 890
Tepuihyla, 779
Terebratulina retusa, 655
teres major, 892
Tessmannia lescrauwaetii, 592
Testudines, 530, 531, 533, 537–539, 541, 544, 613–615
Testudo graeca, 612, 613, 614, 614
Testudo, 615
Testuguria, 612
Tethya, 652
Tetrachondraceae, 706
Tetradontophora, 297, 298
Tetragnatha, 634
Tetrahymena, 748
Tetrapterocarpon, 593
Tetraselmis striata, 938
Tetraspora, 939
Tetrodontophora, 279, 282
Thalassiosira pseudonana, 745
Thamnochortus, 299, 300, 301, 302, 305, 306, 309, 313, 314
phylogeny, 300, 305, 313
pluristachyus, 300
Thamnophilus doliatus, 602
The Effect of Paralogous Lineages on the Application of Reconciliation Analysis by Cophylogeny Mapping, Andrew P. Jackson, 127
The Logical Basis of Phylogenetic Taxonomy, Paul C. Sereno, 595
The Past and Future of Systematic Biology, Chris Simon and Rod Page, 1
The Perils of DNA Barcoding and the Need for Integrative Taxonomy, Kipling W. Will, Brent D. Mishler, and Quentin D. Wheeler, 844
The Phylogenetic Handbook: A Practical Approach to DNA and Protein Phylogeny, David A. Morrison, 984
The Promise of DNA Barcoding for Taxonomy, Paul D. N. Hebert and T. Ryan Gregory, 852
The Shape of Supertrees to Come: Tree Shape Related Properties of Fourteen Supertree Methods, Mark Wilkinson, James A.

Cotton, Chris Creevey, Oliver Eulenstein, Simon R. Harris, Francois-Joseph Lapointe, Claudine Levasseur, James O. Mcinerney, Davide Pisani, and Joseph L. Thorley, 419
The Systematic Component of Phylogenetic Error as a Function of Taxonomic Sampling Under Parsimony, Ronald W. DeBry, 432
Thelephora, 662
Thermoanaerobacter tencongensis, 276
thermophila, 745
Thermoplasma
acidophilum, 276
volcanicum, 276
Thermosynechoccus elongatus, 276
Thermotoga maritima, 276, 409
Thomandersia hensii, *698*, *708*
Thomandersia laurifolia, 708
Thomandersia, 700
Thoraciliacus rostriceps, 123
Thorley, Joseph L., see Wilkinson, Mark, 419–431
Thrips, 278
Thunbergia alata, 708
Thyropygus sp., 279
Thyropygus, 282
Ticks, 970
Tiger beetles, 4, 5, 509
Tigriopus japonicus, 279
Tigriopus, 277, 278, 279, 281–287, 289, 290, 292–294, 297, 298
Tilletia, 210
timescale, 391
Tinamus tao, Passer, 602
Tinamus tao, 602
Tipuana, 594
ecuatoriana, 594
tipu–Pterocarpus indicus, 581
tipu, 594
Tissue banking, *819*. *See also* Frozen tissues
TKF model, 548
TNT: Tree Analysis Using New Technology, Gonzalo Giribet, 176
Toad, 122
Topology sampling, 407
Total evidence, 146
Towards Building the Tree of Life: A Simulation Study for All Angiosperm Genera, Nicolas Salamin, Trevor R. Hodkinson, and Vincent Savolainen, 183
Trachycephalus, 779, 789
Trametes, 665
Transition/transversion ratio, 83, 185, 364, 700
Trebouxia
asymmetrica, 939
impressa, 939
magna, 939
Trechispora, 662
Tree topologies, polytomous, 241
Tree-bisect-reconnect (TBR), 185, 194, 200–202, 256, 258, 301, 350, 356
Treefitter phylogenetic analyses, 712
TreeMap
1.0 phylogenetic analyses, 713
2.0β phylogenetic analyses, 713
Trees
divergence times in phylogenetic, 500
evolution and the comparative method, 516
nodes in, 895–899
nuclear gene, 35
rooted source, 669
source, 669, 670, 671
Union of maximum parsimonious trees (UMP), 367, 369
unrooted source, 670, 671
visualizing conflicting evolutionary hypotheses in, 66
Tree
analysis, 176
balance, 975, 978, 982
model, 697
of Life, 1, 2, 169, 183, 401, 403, 409–411, 419, 667, 741
reconstruction, 548
shape, input
causes of,, 426
effect of, 422
similarity, 419
space, 471
space
analysis and visualization of, 471
bayesian samples versus bootstrap samples, 473, 474
comparing results from multiple bayesian analyses, 476
comparing results from multiple genes and concatenated data sets, 476
comparing two bayesian analyses, 474
gene length and concatenated datasets, 474
multidimensional scaling of, 471
MURPHY et al. tree description, 481
potential limitations of MDS for visualizing, 478
some other potential uses of MDS for visualizing, 477
tree set visualization module for mesquite, 472
Tremartos ornatus, 336
Trentepohlia, 942
Treponema pallidum, 276
Triadobatrachus massinoti, 123
Triadobatrachus, 398
Triassic, 111, 121, 123, 175, 391, 398, 399, 542
Triatoma dimidiata, 279
Triatoma, 282, 288
Tribolium castaneum, 279
Tribolium, 282
Tribonia, 7
Triceratops, 609, 610, 611
horridus, 602, 609, 611, 613, 614
Trichechus manatus, 135, 730
Trichechus/Dugong, 730
Trichinella spiralis, 653, 655
Trichobatrachus robustus, 113
Tricholepidion, 282, 283, 288
Trichophyton, 211
Trichosurus vulpecula, 138
Trilophosaurus, 533, 543
Trimeresurus, 197, 208
Triops, 282, 288, 294
Triprion, 779, 789, 802
tRNA data, 222
Trochiscia hystrix, 939
Trollius, 198, 208, 212
Trophyerma whipplei, 276
Trout, rainbow, 115
True equivocal matches, 826
Trypanosoma brucei, 746, 752
tsuh-ki, 524
Tuatara, 530
Tulasnella, 662
Tuojiangosaurus, 545
Tupinambis, 563
Turanoceratops, 610
Turdus merula, 863
Turkey, 257, 378
Turner, Alan H., see Smith, Nathan D., 166–173

Two-parameter model, 555, 556
Type I error, 200, 221, 222, 225, 227, 975–980
Type II error, 222, 225, 227
Typhlacontias brevipes, 378
Typhlacontias, 374–376, 382, 387
Typhlonectes
  compressicauda, 759, 760
  natans, 392, 759
Typhlosaurus, 373, 382, 386
  caecus, 377
  lineatus, 377
Typothorax coccinarum, 533
Tyrannus
  tyrannus. *Pitta sordida*, *Funarius rufus*, *Thamnophilus doliatus*, 602
  tyrannus, 602
Ulothrix zonata, 938
Ultracold freezers, 820. *See also* Frozen tissues
Ulva curvata, 938
Umma, 351, 359
Umtiza, 593
Unambiguous characters, 166, 170
Unbiased, 218, 394
uncia, 327, 329, 333
Underparameterization, 975–977, 979–981
Underparameterized Model of Sequence Evolution Leads to Bias in the Estimation of Diversification Rates from Molecular Phylogenies, Liam J. Revell, Luke J. Harmon, and Richard E. Glor, 973
Unearthing the Molecular Phylodiversity of Desert Soil Green Algae (Chlorophyta), Louise A. Lewis and Paul O. Lewis, 915
Ungulates, 71
Uninformative characters, 16, 97, 192, 535, 766, 783
Union of maximum parsimonious trees (UMP), 367, 369
Unrooted source trees, 670, 671
Unrooted tree, 58, 219, 244, 248, 698, 964, 985
Untangling Long Branches: Identifying Conflicting Phylogenetic Signals Using Spectral Analysis, Neighbor-Net, and Consensus Networks, Martyn Kennedy, Barbara R. Holland, Russell D. Gray, and Hamish G. Spencer, 620
urealyticum, 276
Ureaplasma, 270, 272
Uronema belkae, 939
Uropygi, 278, 279
Urospora penicilliformis, 938
Ursidae, 317, 323–325, 327, 330, 331, 336
Ursus, 323, 871
  arctos, 336
Ustilago, 210
Vanfleteren, Jacques R., see Dumont, Henri J., 347–362
Variable-fragmentation TKF2 model, 551
Variation partitioning, 562
Varicellovirus, 129
Varroa, 278
Vascular
  density, 565
  orientation, 565
Velella velella, 919
Vences, Miguel, *see* Poux, Céline, 719–730
Venomous marine gastropod genus Conus, 634
Ventana, 917
venulatus, 635, 642
Verbena bonariensis, 708
Veron, G´eraldine, see Gaubert, Philippe, 865–894
Veronica catenata, 708
Vestalis, 353, 359
  amoena, 349
  anne, 349
  gracilis, 349
  lugens, 349
  smaragdina, 349
  Caliphaea, 360
Vibrio parahaemolyticus, 276
Vicariance, 2, 112, 124, 158, 159, 161, 163, 164, 299, 312, 339, 387, 399, 716, 727, 21–23, 29–31
Vicia, 453
Vieites, David R., *see* Poux, Céline, 719–730
Vieraella herbstii, 111, 123
Vieraella, 111, 122, 123
Vigna, 453
Viola, 31
virginiana, 730
viridus, 57
virosa, 205, 207
Visualization, 471
Visualizing Conflicting Evolutionary Hypotheses in Large Collections of Trees: Using Consensus Networks to Study the Origins of Placentals and Hexapods, Barbara R. Holland, Frédéric Delsuc, and Vincent Moulton, 66
vitulina, 323
Viverra tangalunga, 337
Viverra zibetha, 323
Viverra, 329
Viverricula indica, 730
Viverrid-like morphotypes, 865
  complex structures evolution, 882
  convergence and phylogenetic perturbation characterization, 868, 874, 876
  evolutionary issues, 867
  morphological data, 867
  noise pattern in morphological data, 881
  phylogenetic analysis with topological constraint, 873
  phylogenetic analysis without topological constraint, 871
  phylogenetic methods, 868
  test of evolutionary hypothesis, 870, 875
Viverridae, 317, 323, 326–329, 331, 333, 337, 730, 830, 865–868, 870, 871, 875, 876, 879–881, 883
Voeltzkowia, 376
  fierinensis, 378
  lineata, 378
Vogler, Alfried P., Cardoso, Anabela and Barraclough, Timothy G., Exploring Rate Variation Among and Within Sites in a Densely Sampled Tree: Species Level Phylogenetics of North American Tiger Beetles (Genus Cicindela), 4–20
Vogtia, 926
  glabra, 922
  pentacantha, 922
Volckaert, Filip A. M., *see* Huyse, Tine, 710–718
Volvox carteri, 939
Vulpes vulpes, 336
Vultur gryphus, 611, 612
vWF, 482
Wajira albescens–Phaseolus vulgaris, 582
wasser, 513
Watanabea reniformis, 939
Waterfowl, 35
Waters, Jonathan M., Historical Biogeography: An Introduction, 338–339
Watson–Crick pairing, 519
Weekers, Peter H. H., *see* Dumont, Henri J., 347–362
Weighted Least-Squares Likelihood Ratio Test for Branch Testing in Phylogenies Reconstructed from Distance Measures, Rafael Sanjuán and Borys Wróbel, 218

Weighted
least-squares, 218, 220, 224
parsimony, 207
Weisrock, David W., Harmon, Luke J. and Larson, Allan, Resolving Deep Phylogenetic Relationships in Salamanders: Analyses of Mitochondrial and Nuclear Genomic Data, 758–777
Welch, John J., Fontanillas, Eric and Bromham, Lindell, Molecular Dates for the "Cambrian Explosion": The Influence of Prior Assumptions, 672–677
Wheeler, Quentin D., see Will, Kipling W., 844–851
Wiens, John J., Bonett, Ronald M. and Chippindale, Paul T., Ontogeny Discombobulates Phylogeny: Paedomorphosis and Higher-Level Salamander Relationships, 91–110
Wiens, John J., Can Incomplete Taxa Rescue Phylogenetic Analyses from Long-Branch Attraction?, 731–742
Wiens, John J., Fetzner, Jr., James W., Parkinson, Christopher L. and Reeder, Tod W., Hylid Frog Phylogeny and Sampling Strategies for Speciose Clades, 778–807
Wilkesia, 63, 64
Wilkinson, Mark, Cotton, James A., Creevey, Chris, Eulenstein, Oliver, Harris, Simon R., Lapointe, Francois-Joseph, Levasseur, Claudine, Mcinerney, James O., Pisani, Davide and Thorley, Joseph L., The Shape of Supertrees to Come: Tree Shape Related Properties of Fourteen Supertree Methods, 419–431
Wilkinson, Mark, Pisani, Davide, Cotton, James A. and Corfe, Ian, Measuring Support and Finding Unsupported Relationships in Supertrees, 823–830
Will, Kipling W., Mishler, Brent D. and Wheeler, Quentin D., The Perils of DNA Barcoding and the Need for Integrative Taxonomy, 844–851
Winkworth, Richard C., Bryant, David, Lockhart, Peter J., Havell, David and Moulton, Vincent, Biogeographic Interpretation of Splits Graphs: Least Squares Optimization of Branch Lengths, 56–65
woesei, 409
Wohlhauser, Sébastien, see Yuan, Yong-Ming, 21–34
Wojciechowski, Martin F., see Lavin, Matt, 575–594
Wolverine, 325
Wortley, Alexandra H., Rudall, Paula J., Harris, David J. and Scotland, Robert W., How Much Data are Needed to Resolve a Difficult Phylogeny? Case Study in Lamiales, 697–709
Wozencraft, W. Chris, see Gaubert, Philippe, 865–894
Wright–Fisher model, 986, 987
Wróbel, Borys, see Sanjuán, Rafael, 218–229
Xanthocercis zambesiaca–Glycine tabacina, 584
Xanthomonas
axonopodis, 276
campestris, 276
Xenohyla, 779
xenology, 967
Xenopus laevis, 94, 96, 112, 759, 760, 783
Xenopus sp., 113
Xenopus-Bombina, 394
Xenopuslaevis, 392
Xenopus, 116, 781, 782
Xeroderris stuhlmannii–Phaseolus vulgaris, 582
Xiphosura, 279
Xylella fastidiosa, 276
Yang, Ziheng and Rannala, Bruce, Branch-Length Prior Influences Bayesian Posterior Probability of Phylogeny, 455–470
Yang, Ziheng, see Ren, Fengrong, 808–818
Yersinia pestis, 276
Yuan, Yong-Ming, Wohlhauser, Sébastien, Möller, Michael, Klackenberg, Jens, Callmander, Martin W. and K¨upfer, Philippe, Phylogeny and Biogeography of Exacum (Gentianaceae): A Disjunctive Distribution in the Indian Ocean Basin Resulted from Long Distance Dispersal and Extensive Radiation, 21–34
Zalophus californianus, 323, 336
Zalophus, 324
Zardoya, Rafael, see Cunha, Regina L., 634–650
Zehr, Sarah, see Flynn, John J., 317–337
Zhang, Peng, Zhou, Hui, Chen, Yue-Qin, Liu, Yi-Fei and Qu, Liang-Hu, Mitogenomic Perspectives on the Origin and Phylogeny of Living Amphibians, 391–400
Zhou, Hui, see Zhang, Peng, 391–400
Zhou, Yan, see Brinkmann, Henner, 743–757
Zonosaurus, 376, 377, 541
Zooid gain and loss, 931, 932
Zorilla, 336
Zornia cantoniensis–Machaerium lunatum, 584
Zygnema circumcarinata, 938
Zygoptera, 347, 348, 360